

Mabbett & Associates, Inc.. 5 Alfred Circle
Bedford, MA 01730-2318
Tel. 781-275-6050
Fax. 781-275-5651
info@mabbett.com
www.mabbett.com

December 29, 2015

Mr. Donald Heller Regional PCB Coordinator US EPA Region V 77 W. Jackson Blvd. Chicago, IL 60604

Re:

2015 Polychlorinated Biphenyl Action Summary Report

Bodycote Thermal Processing

1975 N. Ruby Street Melrose Park, IL 60160

Mabbett Project No.: 1998002.333

Dear Mr. Heller:

On behalf of Bodycote Thermal Processing (Bodycote), Mabbett & Associates, Inc. (Mabbett®) has prepared the enclosed 2015 Annual Polychlorinated Biphenyl Action Summary Report for the facility located at 1975 North Ruby Street in Melrose Park, Illinois.

The 2015 PCB Action Summary Report for the Heat Treat Building is attached for your review and consideration. If you have any questions or require any further action, please do not hesitate to contact me at (781) 275-6050 ext. 311.

Very truly yours,

MABBETT & ASSOCIATES, INC.

Phritish & Motor

BY:

Christopher L. Mabbett, CPG, PG, PMP

Director of Operations cmabbett@mabbett.com

PDS/rdI

Enclosure:

2015 Annual Polychlorinated Biphenyl Action Summary Report dated December 29, 2015

cc:

Thomas Anderson (Bodycote Thermal Processing)
Mark Bumba (Bodycote Thermal Processing)
Tim Zook (IEPA)

(MF)

Mabbett®

ANNUAL POLYCHLORINATED BIPHENYL ACTION SUMMARY REPORT

Project No. 1998002.333 December 29, 2015

Prepared for:



Bodycote Thermal Processing 1975 North Ruby Street Melrose Park, Illinois

Mabbett & Associates, Inc.
5 Alfred Circle
Bedford, MA 01730-2318
T. 800-877-6050
Massachusetts | Virginia | Rhode Island | New Jersey

© 2015, Mabbett & Associates, Inc.



ACKNOWLEDGEMENT

This Annual Polychlorinated Biphenyl Action Summary Report for the Site located at 1975 North Ruby Street in Melrose Park, Illinois has been prepared for the sole and exclusive use of Bodycote Thermal Processing, Inc. This report is subject to and issued in connection with the Letter-Agreement dated June 30, 2015. Any use or reliance upon information provided in this report, without the specific written authorization of Bodycote Thermal Processing, Inc. and Mabbett & Associates, Inc. shall be at the User's sole risk. No attempt has been made to assess the compliance status of any past or present Owner or Operator of the Property with any Federal, state, or local laws or regulations except as described herein with respect to this particular project.

The findings, observations, and conclusions presented in this report, including the extent of subsurface explorations and other tests, are limited by the scope of services outlined in our Letter-Agreements which reflect schedule and budgetary constraints. The professional opinions and findings presented in this report are based on the facts and information conveyed to or observed by Mabbett & Associates, Inc. during completion of this project. Furthermore, assessment and field operations have been performed in accordance with generally accepted engineering practices. No other warranty, expressed or implied, is made.

The assessment presented in this report is based solely upon the laws and regulations existing as of the date of this report as well as the information gathered to date including a limited number of subsurface explorations made on the dates indicated and performed by others. Should further environmental or other relevant information be developed at a later date, Bodycote Thermal Processing, Inc. should bring such information to the attention of Mabbett & Associates, Inc. as soon as possible. Based upon an evaluation, Mabbett & Associates, Inc. may modify this report and its conclusions.

This report was prepared by the following Mabbett & Associates, Inc. personnel:

Michael J. Horton, CAPM Environmental Geologist

This report has been reviewed and approved by:

MABBETT & ASSOCIATES, INC.

BY:

Christopher L. Mabbett, CPG, PG, PMP

Director of Operations



TABLE OF CONTENTS

SECTIO	<u>ON</u>	<u>PAGE</u>
I.	INTRODUCTION	1
II.	DISPOSAL SITE DESCRIPTION	1
III.	SITE HISTORY	1
IV.	PCB ACTIONS	3
	A. PCB Storage Area	3
	B. Groundwater Sampling	4
V.	NATURE AND EXTENT OF PCB CONTAMINATION	4
VI.	SUMMARY	5
VII.	FURTHER EXPLORATION/REMEDIAL ACTIONS	5

TABLES

1 Summary of Laboratory Analytical Results

CHARTS

1 Historic PCB Aroclor 1248 Concentrations

FIGURES

L-1a	Site Locus
L-1b	Site Map
L-2	Monitoring Well Location Plan
L-3	Heat Treat Building Area of PCB Contamination – April/October 2015
L-4	Heat Treat Building Shallow Groundwater Contours – October 2015

APPENDICES

A Laboratory Analytical Reports – April and October 2015



I. INTRODUCTION

Mabbett & Associates, Inc. (Mabbett®) has prepared this Annual Polychlorinated Biphenyl (PCB) Action Summary Report on behalf of our client, Bodycote Thermal Processing, Inc. (Bodycote), for the Site located at 1975 North Ruby Street in Melrose Park, Illinois. This summary report has been prepared in accordance with 40 CFR 761, the Polychlorinated Biphenyl Action/Work Plan dated September 12, 2006, and the Polychlorinated Biphenyl Action/Work Plan Amendment letter approved by EPA on March 1, 2010.

The presence of PCB contamination in groundwater and non-aqueous phase liquid (NAPL) beneath a portion of the Bodycote facility was identified in 2000. Source investigations and analytical sampling that define the nature and extent of PCB contamination have been ongoing since that time. The following sections discuss the data collected and PCB actions taken during 2015 as part of the Site's approved PCB Action/Work Plan.

II. DISPOSAL SITE DESCRIPTION

The Bodycote facility is an industrial complex located at 1975 North Ruby Street in Melrose Park, Illinois. The facility was constructed in the 1950s and has been the site of heat treating operations since that time. The property is located in an industrial zoned area and is planned for continued use as a manufacturing facility into the foreseeable future. A Site Locus, Site Map, and a Monitoring Well Location Plan are provided as Figures L-1a, L-1b, and L-2, respectively.

III. SITE HISTORY

The presence of PCBs beneath the Bodycote Heat Treatment Building (HTB) was discovered in May 2000 during routine profiling of groundwater and dense non-aqueous phase liquid (DNAPL) associated with remedial efforts designed to remove free product from groundwater monitoring well M&A-113 (refer to Figure L-2). Of the nine drums that were profiled for off-site disposal, eight had detectable concentrations of Aroclor 1248 ranging from 341 milligrams per kilogram (mg/kg) to 516 mg/kg. These detections were above applicable state and federal standards for PCBs.

In response to the May 2000 PCB detections, Mabbett initiated an in-depth review of available documentation for the property in order to identify potential sources of PCB contamination at the Site. Mabbett reviewed records at the Bodycote facility, the State Fire Marshall, the Village of Melrose Park Fire Department, the Village of Melrose Park Building Department, and Village of Melrose Park Health Office; however, no records were located which documented PCB use, spills, or the presence of PCB containing equipment at the Site. Bodycote personnel were also interviewed to determine if they had knowledge of historic PCB spills or PCB containing equipment at the facility: no known PCB spills or PCB containing equipment was identified during these inquiries.

During September 2000, Mabbett sampled non-aqueous phase liquid (NAPL) occurring in monitoring wells M&A-113 and M&A-111; those samples were analyzed for PCBs. Laboratory results indicated the presence of Aroclor 1248 at concentrations of 1,600 mg/kg and 3,308 mg/kg, respectively. After further corroboration of laboratory results, Mabbett performed a groundwater sampling event in October 2002. Samples were collected from seven monitoring wells located in the HTB and submitted for laboratory analysis of PCBs in



accordance with United States Environmental Protection Agency (EPA) Test Method 8082.

PCBs were detected in groundwater samples collected from four of the seven monitoring wells. PCBs were reported at concentrations between 1.6 micrograms per liter (μ g/L) and 600 μ g/L. The Illinois Environmental Protection Agency (IEPA) TACO Tier I Class II (restricted use) groundwater standard for PCBs is 2.5 μ g/L.

Between 2002 and 2006, Mabbett conducted additional groundwater and NAPL sampling in an effort to obtain additional data. This data was used to formulate a PCB Action/Work Plan. During these sampling events, EPA Region I low flow/stress sampling techniques were used in an effort to reduce turbidity in samples; this allowed the field team to obtain more representative samples for evaluating dissolved PCB concentrations in groundwater. The analytical results from samples obtained following low flow sampling procedures were significantly lower. The results of historic PCB sampling events are summarized in Table 1. NAPL recovery efforts initiated at the Site under the IEPA Voluntary Cleanup Program (VCP) are removing TCE from the subsurface and may also be contributing to the lower PCB concentrations observed during recent sampling events.

In October 2005, Mabbett contacted Ms. Pricilla Fonseca (Region V EPA) to inquire about the actions necessary to address the identified PCBs at the facility. Ms. Fonseca informed Mabbett that Bodycote needed to file a "Notice of PCB Activity" (Form #7710-53) and a PCB Action/Work Plan with the EPA. Form #7710-53 was filed on November 8, 2005. A PCB Action/Work Plan was submitted on September 12, 2006 and proposed the following:

- Install additional monitoring wells in the northwest region of the HTB and outside the northwestern wall of the HTB to confirm the extent of PCB contamination;
- Continue NAPL recovery efforts initiated under the IEPA approved VCP; continued removal of light non-aqueous phase liquid (LNAPL) and DNAPL was expected to result in further reductions in PCB concentrations at the Site;
- Maintain constructed engineered barriers, utilizing existing concrete slab flooring, over areas of residual soil impacts to eliminate potential exposure; and
- Conduct ongoing periodic training of Bodycote personnel in appropriate PCB waste management procedures.

On November 15, 2006, Mabbett personnel oversaw the advancement of three soil borings in and around the northwestern portion of the HTB for the purpose of delineating the extent of PCBs. The soil borings were advanced by Precon Drilling, Inc. of Addison, Illinois using hollow stem auger drilling techniques. The soil borings were completed with 2-inch diameter monitoring wells and designated M&A-130, M&A-131, and M&A-133 (refer to Figure L-2).

Monitoring wells M&A-130 and M&A-131 are located outside of the Heat Treat Building along Ruby Street. The soil boring for shallow monitoring well M&A-130 was advanced to a depth of 16 feet below ground surface (bgs); the well was constructed with a 10-foot screen set between 5 and 15 feet bgs. The soil boring for Intermediate monitoring well M&A-131 was advanced to 30 feet bgs; the well was constructed with a 10-foot screen set between 19 and 29 feet bgs. Soils encountered during the advancement of these monitoring wells were generally clays with some silt and gravel. Visual or olfactory indicators of contamination were not



observed in either of the boreholes located outside the Heat Treat Building.

Monitoring well M&A-133 is located in the northwest corner of the Heat Treat Building. The soil boring for intermediate monitoring well M&A-133 was advanced to 30 feet bgs; this monitoring well is screened between 19 and 29 feet bgs. Soils encountered during advancement of this boring consisted of approximately 9 feet of fill material underlain by clays. Visual and olfactory screening of the soils did not indicate the presence of contaminants.

Mabbett collected groundwater samples from newly installed monitoring wells M&A-131 and M&A-133 (designated Outside-I and Inside-I, respectively on the laboratory report) on December 19, 2006. Monitoring well M&A-130 could not be sampled due to the lack of groundwater recharge into the well. Groundwater samples were submitted to TestAmerica Analytical Testing Corporation (TestAmerica) of Nashville, Tennessee for analysis of PCBs in accordance with EPA Test Method 8082. PCBs were not detected at concentrations greater than laboratory reporting limits in groundwater samples collected from monitoring wells M&A-131 and M&A-133.

PCB actions taken at the Bodycote facility since the submittal of the PCB Action Summary Report in December 2015 are summarized in the following sections.

IV. PCB ACTIONS

A. PCB Storage Area

In accordance with 40 CFR 761.65, Bodycote is required to have a hazardous waste storage area at the facility that is designed for PCB wastes if waste materials contain 50 parts per million (ppm) or greater of PCBs. A waste accumulation area has been established in the HTB. The accumulation area generally contains two 55-gallon drums; one for NAPL containing materials such as absorbent socks and bailers used for manual product removal and one for DNAPL extracted from monitoring well M&A-113. The drums are situated on secondary containment pallets with a storage capacity greater than 55-gallons. When these drums are full they are moved to the Hazardous Waste Storage Area and labeled with the applicable waste codes and the words "CONTAINS PCBs" on a hazardous waste label. All PCB containing wastes at the Bodycote facility are disposed of within 90 days of their storage start date in accordance with 40 CFR 761.65.

One drum of remediation waste was disposed of in 2015. During the groundwater sampling event in October 2015, the 55-gallon drum attached to the M&A-113 DNAPL recovery system was observed to be full. The DNAPL Recovery System was shut down on October 28 and 29, 2015 so the full drum could be removed and replaced with an empty new 55-gallon drum. The new drum was labeled with the applicable waste codes and the words "CONTAINS PCBs" on a hazardous waste label; then the drum was attached to the DNAPL recovery system. The system was then restarted and checked to ensure it was operational. The full 55-gallon drum was moved to the Hazardous Waste Storage area and checked to ensure all the appropriate waste codes and the words "CONTAINS PCBs" were on the hazardous waste label while it awaited proper disposal. Clean Harbors is scheduled to pick up the drum for appropriate disposal during the week of January 4, 2016, prior to the 90 day storage limit; details pertaining to the removal will be included in the 2016 Annual PCB Report. The waste accumulation area was inspected



periodically throughout 2015 (most recently during a December maintenance visit). Currently two 55-gallon drums are present in the accumulation area; one drum contains waste from the DNAPL recovery system and the second drum contains NAPL contaminated material (i.e. oil absorbent socks).

B. Groundwater Sampling

Groundwater samples collected from thirteen (13) different monitoring wells were analyzed for PCBs during the two (2) routine semi-annual sampling events. Sampling was conducted in accordance with the EPA PCB Action/Work Plan approval letter dated March 1, 2010. Mabbett personnel were able to sample all wells that are listed in the U.S. EPA's March 1, 2010, letter.

Table 1 and Chart 1 present historic and current PCB data for all wells identified in the U. S. EPA March 1, 2010 approval letter. Previously submitted Annual PCB reports contain historic PCB data for groundwater and NAPL samples collected from wells not listed in the March 1, 2010, EPA approval letter.

In general, concentrations of PCBs detected at the Site have decreased significantly since their discovery in May 2000. Additional discussion regarding the nature and extent of PCBs in groundwater at the Bodycote facility is provided in Section V.

v. NATURE AND EXTENT OF PCB CONTAMINATION

Based on recent PCB data for the HTB (provided in Table 1 and Chart I), PCBs appear to be limited to groundwater in the vicinity of monitoring wells M&A-110, M&A-111, M&A-113, and M&A-114 (it should be noted that PCBs have not been detected in M&A-104 since April of 2011). As indicated in Table 1, detected concentrations of PCBs in groundwater beneath the HTB have been below the IEPA TACO Tier I Class II (restricted use) Groundwater Standard of 2.5 µg/L in samples collected from many monitoring wells since the spring of 2006 sampling event. The only monitoring wells that sample results indicate PCBs are present above the standard are M&A-110, M&A-111, M&A-113, and M&A-114. Until the most recent sampling event in October 2015, groundwater monitoring well M&A-110 had been well below the IEPA TACO Tier I Class II Groundwater Standard. Historically, M&A-111 has been below the Groundwater Standard with a few exceptions; PCBs were detected at concentrations greater than the Groundwater Standard in the sample collected during the October 2015 sampling event for the first time since April 2013. Groundwater monitoring well M&A-113 has been consistently above the Standard but appears to be decreasing over time. Aroclor 1248 was detected in the sample collected from M&A-114 in April 2015 but was non-detect in the sample collected during the October 2015 event. The full laboratory reports for the April and October 2015 groundwater sampling events are attached in Appendix A.

Figure L-3 depicts the area of PCB groundwater contamination beneath the HTB in 2015. PCBs were detected in samples collected from only four wells at levels greater than the IEPA GRO in 2015; M&A-110 at a concentration of 10.1 μ g/L in October 2015, M&A-111 at a concentration of 7 μ g/L in October 2015, M&A-113 at a concentration of 238 μ g/L and 17.2 μ g/L in April and October 2015 respectively; and M&A-114 at a concentration of 79.3 μ g/L in April 2015. Monitoring well M&A-113 is the location of the DNAPL extraction system which could account for the elevated PCB concentrations observed in samples collected from this monitoring well.



Bodycote Thermal Processing | Melrose Park, Illinois

The absence of PCBs in groundwater at downgradient boundary wells M&A-122 and M&A-301 indicates that the likelihood for migration of PCB contaminated groundwater in a westerly direction off the property is unlikely (refer to Figure L-4 Heat Treat Building Shallow Groundwater Contours).

VI. SUMMARY

Groundwater samples have been collected from monitoring wells throughout the HTB and analyzed for PCBs since 2002. The distribution of PCB contamination has been defined as a limited area beneath a portion of the HTB where NAPL is present. Dissolved concentrations of PCBs in groundwater have declined significantly since the discovery of PCBs at the Site in 2000 and, with the exception of wells M&A-110, M&A-111, M&A-112, M&A-113, and M&A-114, have been below applicable IEPA TACO Tier I Standards since 2006.

NAPL recovery efforts in the Heat Treat Building are ongoing at monitoring well M&A-113 and M&A-114 and appear to have reduced the occurrence of DNAPL and PCBs in this portion of the Site. Continuing to remove free product to the extent practicable in these areas appears to be the most effective means of achieving additional PCB reductions in groundwater present beneath the Heat Treat Building.

VII. ADDITIONAL EXPLORATION/REMEDIAL ACTIONS

Based on the information collected to date, Mabbett recommends continued NAPL removal as the primary course of action for reducing PCB contamination at the Site. The *in situ* DNAPL extraction system located in well M&A-113 will continue to operate on a full-time basis in accordance with the VCP established for the HTB.

During the April and October 2015 sampling events Mabbett observed LNAPL on the oil absorbent media deployed in well M&A-114 and trace LNAPL staining on the oil absorbent media in well M&A-301. New oil absorbent media was deployed in each well after each sampling event. Mabbett will continue to monitor M&A-114 and M&A-301 for the presence of LNAPL. At such a time when LNAPL is absent for a period of one year the IEPA approved LNAPL product recharge study will re-commence. Once the study is completed if LNAPL remains absent for a period of one year *No Further Remediation* status may be applied for in regards to oil absorbent media deployment with the IEPA.

Mabbett will continue to perform long term groundwater monitoring to coincide with the April and October semi-annual sampling events established under the VCP. PCB Summary Reports will be submitted to the EPA on an annual basis until such time that a status of *No Further Remediation* has been issued for PCB contamination at the Site.

Based on the information presented herein, it is Mabbett's opinion that:

- 1. No active PCB release sources are present and, after diligent research, historic sources for PCBs were not identified.
- 2. The presence of PCBs appears to be associated with DNAPL and is limited in extent.
- 3. Groundwater quality appears to meet the IEPA standard for PCBs of 2.5 μ g/L outside a limited and well-defined area.



- 4. The extent of PCBs in the subsurface has been reasonably delineated.
- 5. PCBs do not appear to be migrating and based on site data, the potential for significant PCB migration is low.
- 6. Ongoing efforts to remove NAPL under the approved IEPA VCP also appear to be the most appropriate remediation strategy for PCBs.
- 7. No additional investigation or remediation appears warranted at this time; Mabbett will continue to monitor as stated previously.

TABLES

TABLE 1

HISTORIC AND CURRENT PCB RESULTS SUMMARY 2015 ANNUAL PCB REPORT BODYCOTE THERMAL PROCESSING MELROSE PARK, IL

	GW Sampl	es	Aroclor 1016	Arocior 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260
IEPA '	TACO Tier I S	Standard	2.5	2.5	2.5	2.5	2.5	2.5	2.5
WELL	AQUIFER	DATE	(μg/L)	(μg/L)	(µg/L)	(μg/L)	(µg/L)	(µg/L)	(μg/L)
	-	Historic data not p							
MCA-5	Shallow	reporting limits in	historic groundy	vater samples co	Hected from MC	A-5.			
WICK-3	SHallOW	4/7/2015	BDL (0.1)	BDL (0.1)	BDL (0.1)	BDL (0.1)	BDL (0.1)	BDL (0.1)	BDL (0.1)
W. W		10/28/2015	8DL (0.521)	BDL (0.521)	BDL (0.521)	BDL (0.521)	8DL (0.521)	BDL (0.521)	BDL (0.521)
		10/02/2002	BOL (0.5)	BDL (1.0)	8DL (0.5)	1.6	BDL (0.5)	8DL (0.5)	BDL (0.5)
		10/23/2003	BDL (0.5)	BOL (1.0)	GDE (0.5)	8DL (0.5)	BDL (0.5)	BOL (0.5)	BDL (0.5)
	Shallow	5/18/2004	SDL (0.5)	BDL (1.0)	8DL (0.5)	8DL (0.5)	BĐL (0.5)	BDL (0.5)	BDL (0.5)
		4/17/2006	BDL (1.0)	BDL (1.0)	BDL (1.0)	BDL (1.0)	BDL (1.0)	BDL (1.0)	BDL (1.0)
		10/19/2006	BDL (0.5)	BDL (0.5)	8DL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)
		4/30/2007	BDL (0.5)	BDL (0.5)	8DL (0.5)	BDL (0.5)	BDL (0.5)	BDI. (0.5)	BDt (0.5)
		10/17/2007	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDI. (0.5)	BDL (0.5)	BDL (0.5)
		4/16/2008	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)
		10/23/2008	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	0.592	BDL (0.5)	BDL (0.5)
		12/17/2008	8DL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)
	4/07/2009	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	
M&A-104	Challau	10/21/2009	BDL (0.5)	BDL (0.5)	BDL (0.5)	0.716	BDL (0.5)	BDL (0.5)	BDL (0.5)
W&A-104	Shallow	4/12/2010	BDL (0.658)	BDL (0.658)	BDL (0.658)	1.66	BDL (0.658)	BDL (0.658)	BDL (0.658)
		10/19/2010	BDL (0.490)	BDL (0.490)	BDL (0.490)	BDL (0.490)	BDL (0.490)	BDL (0.490)	BDL (0.490)
		4/20/2011	BDL (0.556)	BDL (0.556)	BDL (0.556)	BDL (0.556)	0.911	BDL (0.556)	BDL (0.556)
		10/25/2011	BDL (0.495)	BDL (0.495)	BOL (0.495)	BDL (0.495)	BDL (0.495)	BDL (0.495)	BDL (0.495)
		4/25/2012	BDL (0.485)	BDL (0.485)	BOL (0.485)	BDL (0.485)	BDL (0.485)	BDL (0.485)	BDI. (0.485)
		10/01/2012	BDL (0.485)	BDL (0.485)	BDL (0.485)	BDL (0.485)	BDL (0.485)	BDL (0.485)	BDL (0.485)
		4/18/2013	8DL (0.495)	BDL (0.495)	BDL (0.495)	BDL (0.495)	BOL (0.495)	8DL (0.495)	BDL (0.495)
		10/21/2013	BDL (0.481)	BDL (0.481)	BDL (0.481)	BDL (0.481)	BOL (0.481)	BDL (0.481)	BDL (0.481)
		4/01/2014	BDL (0.431)	BD£ (0.431)	8DL (0.431)	BDL (0.431)	BOL (0.431)	BDL (0.431)	BDL (0.431)
		10/28/2014	BDL (0.431)	BDL (0.431)	8DL (0.431)	BDL (0.431)	BDL (0.431)	BDL (0.431)	BDL (0.431)
		4/07/2015	BDL (0.1)	BDl (0.1)	BDL (0.1)	BDL (0.1)	BDL (0.1)	BDL (0.1)	BDL (0.1)
		10/28/2015	BDL (0.5)	8DL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)
		5/18/2004	BDL (0.5)	SDL (1.0)	BDL (0.5)	BDL (0.5)	12.2	BDL (0.5)	BDL (0.5)
		4/17/2006 (1)	NS	NS	NS	NS	NS	NS	NS
		5/15/2006	BDL (0.4)	BDI, (0.4)	BDL (0.4)	5,92	BDL (0.4)	BDL (0.4)	BDL (0.4)
		10/19/2006	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	1.31	BDL (0.5)	BDL (0.5)
		4/30/2007	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)
		10/17/2007	BDt. (0.5)	BDL (0.5)	8DL (0.5)	BDL (0.5)	1.11	BDL (0.5)	8DL (0.5)
		10/23/2008	BDŁ (0.5)	BDI. (0.5)	BDL (0.5)	BDI. (0.5)	0.848	BDL (0.5)	8DL (0.5)
	1	4/07/2009	BD£ (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)
		10/21/2009	BDL (0.5)	BDL (0.5)	BDL (0.5)	0.508	8DL (0.5)	BDL (0.5)	BDL (0.5)
		4/12/2010	BDL (0.658)	BOL (0.658)	BDL (0.658)	BDL (0.658)	2.31	BDL (0.558)	BDL (0.658)
M&A-110	Intermed	10/19/2010	BDL (0.495)	BÐL (0.495)	BD1 (0.495)	BDL (0.495)	0.842	BDL (0.495)	BDL (0.495)
		4/20/2011	BDL (0.556)	BDL (0.556)	8DL (0.556)	BDL (0.556)	1.98	BDL (0.556)	BDL (0.556)
		10/25/2011	BDL (0.500)	BDL (0.500)	8DL (0.500)	BDL (0.500)	2.10	BDL (0.500)	BDL (0.500)
		4/25/2012	BDL (0.556)	BDL (0.556)	8DL (0.556)	BDL (0.556)	BDL (0.556)	BDL (0.556)	BDL (0.556)
		10/02/2012	BDL (0.500)	BDL (0.500)	8DL (0.500)	8DL (0.500)	1.45	BDL (0.500)	BDL (0.500)
		4/18/2013	BDL (0.500)	BDL (0.500)	BDL (0.500)	8DL (0.500)	BDL (0.500)	BDL (0.500)	BDL (0.500)
		10/21/2013	BDL (0.417)	BDL (0.417)	3DL(0.417)	BDL (0.417)	BDL (0.417)	BDL (0.417)	BDL (0.417)
		4/1/2014	BDL (0.446)	BDL (0.446)	BDL (0.446)	BDL (0.446)	BDL (0.446)	BDL (0.446)	8DL (0.446)
		10/28/2014	BDL (0.431)	BDL (0.431)	BDL (0.431)	BDL (0.431)	BDL (0.431)	BDL (0.431)	8DL (0.431)
		4/7/2015	BDL (0.1)	BDL (0.1)	BDL (0.1)	8DL (0.1)	2.13	BDL (0.1)	BDL (0.1)
	1	10/28/2015	BOL (0.521)	BDL (0.521)	BDL (0.521)	BOL (0.521)	10.1	BDL (0.521)	BDL (0.521)
·	<u> </u>	10,20,2013	1 000 (0.021)	ODE (0.022)	301 (0.321)	000 (0.001)	,	000 (0.021)	1 550 (0.321)

TABLE 1 HISTORIC AND CURRENT PCB RESULTS SUMMARY 2015 ANNUAL PCB REPORT BODYCOTE THERMAL PROCESSING MELROSE PARK, IL

	GW Sample	es	Aroclor 1016	Aroclor 1221	Arodor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260
IEPA	TACO Tier I S	tandard	2.5	2.5	2.5	2.5	2.5	2.5	2.5
WELL	AQUIFER	DATE	(μg/L)	(µg/L)	(µg/L)	(µg/L)	(μg/L)	(µg/L)	(µg/L)
		10/02/2002	BDL (25)	BDL (50)	BDL (25)	5810	BDL (25)	154	BDL (25)
		10/23/2003	BDL (0.5)	BDL (1.0)	BDL (0.5)	BDL (0.5)	3,73	BDL (0.5)	8DL (0.5)
		5/18/2004	BOL (0.5)	8DL (1.0)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)
		4/18/2006	BDL (1.0)	8DL (1.0)	BDL (1.0)	BDL (1.0)	8DL (1.0)	BDL (1.0)	BDL (1.0)
	·	10/19/2006	BÐL (0.5)	8DL (0.5)	BDL (0.5)	BDL (0.5)	8DL (0.5)	BDL (0.5)	BDL (0.5)
		4/30/2007	BDL (0.5)	8DL (0.5)	8Dt (0.5)	BDL (0.5)	8DL (0.5)	BDL (0.5)	BDL (0.5)
		10/18/2007	BDL (0.5)	BDL (0.5)	BD1. (0.5)	BOL (0.5)	0.652	BDL (0.5)	BOL (0.5)
,		4/16/2008	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	8DL (0.5)	BDL (0.5)	BOL (0.5)
		10/22/2008	BDL (0.5)	BDL (0.5)	8DL (0.5)	BDL (0.5)	1.16	BDL (0.5)	NS
		12/17/2008	BDL (0.5)	BDL (0.5)	BDt (0.5)	BDL (0.5)	BDL (0.5)	8DL (0.5)	BDL (0.5)
		4/07/2009	BDL (0.5)	BDL (0.5)	BD1 (0.5)	BOL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)
M&A-111	Intermed	10/21/2009	BDL (0.5)	BDL (0.5)	BDL (0.5)	0.712	BDL (0.5)	BDL (0.5)	BDL (0.5)
IAION-TIT	memea	4/12/2010	BOL (0.625) .	BDŁ (0.625)	BDL (0.625)	1.14	BDL (0.625)	BDL (0.625)	BDL (0.625)
		10/19/2010	BÐL (0.490)	BDL (0.490)	BDL (0.490)	BDL (0.490)	BDL (0.490)	BDL (0.490)	BDL (0.490)
		4/20/2011	BDL (0.556)	BDL (0.556)	BDL (0.556)	8DL (0.556)	2.35	BDL (0.556)	BDL (0.556)
		10/25/2011	BDL (0.495)	BDL (0.495)	BDL (0.495)	BDL (0.495)	1.05	BDL (0.495)	BDL (0.495)
		4/24/2012	BDL (0.500)	BDL (0.500)	BDL (0.500)	BDL (0.500)	BDL (0.500)	BDL (0.500)	BDL (0.500)
		10/02/2012	BDL (0.500)	BDL (0.500)	BDL (0.500)	BDL (0.500)	9.12	BDL (0.500)	8DL (0.500)
		4/18/2013	BDL (2.000)	BDL (2.000)	BDL (2.000)	BDL (2.000)	18.8	BDL (2.000)	8DL (2.000)
		10/21/2013	BDL (0.446)	BDL (0.446)	BDL (0.446)	BDL (0.446)	BDL (0.446)	BDL (0.446)	BDL (0.446)
		4/1/2014	BDL (0.500)	BDL (0.500)	BDL (0.500)	BDL (0.500)	BDL (0.500)	BDL (0.500)	8DL (0.500)
		10/28/2014	BDL (0.431)	BDL (0.431)	BDL (0.431)	BDL (0.431)	BDL (0.431)	BDL (0.431)	BDL (0.431)
		4/7/2015	8DL (0.1)	BDL (0.1)	BDL (0.1)	BDL (0.1)	BDL (0.1)	8DL (0.1)	BDL (0.1)
		10/28/2015	BOL (0.521)	BDL (0.521)	BDL (0.521)	BDL (0.521)	7.08	BDL (0.521)	BDL (0.521)
		10/02/2002	8DL (0.5)	BDL (1.0)	BDL (0.5)	5.9	BDL (0.5)	2.8	BDL (0.5)
		10/23/2003	BDL (1.0)	BDL (2.0)	BDL (1.0)	BDL (1.0)	17.7	9,04	BDL (1.0)
		5/18/2004	BOL (0.5)	BDL (1.0)	BDL (0.5)	BDL (0.5)	17.7	BDL (0.5)	BDL (0.5)
		4/18/2006	BOL (1.0)	BDL (1.0)	BDL (1.0)	8DL (1.0)	BDL (1.0)	BOL (1.0)	BDL (1.0)
		10/19/2006 ⁽²⁾	NS	NS	N5	NS	NS	NS	NS
		5/01/2007	BOL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BOL (0.5)
		10/18/2007	BOL (0.5)	8DL (0.5)	BDL (0.5)	BDL (0.5)	1.99	BDL (0.5)	BDL (0.5)
		4/16/2008	BDL (0.5)	BDL (0.5)	BDL (0.5)	8DL (0.5)	60L (0.5)	BDL (0.5)	BDL (0.5)
		10/23/2008	BDL (0.5)	8DL (0.5)	BDL (0.5)	BDL (0.5)	1.02	BDL (0.5)	BDL (0.5)
		4/07/2009	BDL (0.5)	8DL (0.5)	BDL (0.5)	1.39	8DL (0.5)	BDL (0.5)	BÐL (0.5)
		10/21/2009	BDL (0.5)	8DL (0.5)	BDL (0.5)	1.04	8DL (0.5)	BDL (0.5)	BDL (0.5)
M&A-112	Shallow	4/13/2010	BDL (0.658)	BDL (0.658)	BDL (0.658)	BD1 (0.658)	4.0	BDL (0.658)	BDL (0.658)
***************************************	, silanon	10/19/2010	BOL (0.490)	BDL (0.490)	BDL (0.490)	BDL (0.490)	3.12	BDL (0.490)	BDL (0.490)
		4/20/2011	BDL (0.526)	BDL (0.526)	BDL (0.526)	8DL(0.526)	A 15	BDL (0.526)	BDL (0.526)
		10/25/2011	BDL (0.485)	BDL (0.485)	BDL (0.485)	BDL (0.485)	4.00	BDL (0.485)	BDL (0.485)
		4/25/2012	BDL (0.500)	BDL (0.500)	BDL (0.500)	8DL (0.500)	0.885	BDL (0.500)	BDL (0.500)
		10/01/2012	BDL (<5.0)	BDL (<5.0)	8Dt (<5.0)	BDL (<5.0)	206	BDL (<5.0)	BDL (<5.0)
		11/05/2012	BDL (5.0)	BDL (5.0)	BDL (5.0)	BDL (5.0)	BDI. (<0.495)	BDL (5.0)	8DL (5.0)
		4/18/2013	BDL (0.467)	BDL (0.467)	BDL (0.467)	BDL (0.467)	2.39	BDL (0.467)	BDL (0.467)
		10/21/2013	BÐL (0.481)	BDL (0.481)	BDL (0.481.)	BOL (0.481)	21.6	6DL (0.481)	BDL (0.481)
		4/2/2014	BÐL (0.500)	BDL (0.500)	BDL (0.500)	BOL (0.500)	7.03	BDL (0.500)	BDL (0.500)
		10/28/2014	BDL (0.431)	8DL (0.431)	BDL (0.431)	BDL (0.431)	BDL (0.431)	BDL (0.431)	BDL (0.431)
		4/7/2015	BDL (0.0962)	BDL (0.0962)	BDL (0.0962)	8DL (0.0962)	1.25	BDL (0.0962)	BDL (0.0962)
		10/28/2015	BDL (0.521)	BDL(0.521)	BDL (0.521)	BDL (0.521)	BDL (0.521)	BDL (0.521)	BDI. (0.521)

TABLE 1

HISTORIC AND CURRENT PCB RESULTS SUMMARY 2015 ANNUAL PCB REPORT BODYCOTE THERMAL PROCESSING

MELROSE PARK, IL

	GW Sample	<u>-</u> s	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260
IEPA	TACO Tier I S	tandard	2.5	2.5	2.5	2.5	2.5	2.5	2,5
WELL	AQUIFER	DATE	(μg/L)	(µg/L)	(μg/L)	(µg/L)	(µg/L)	(µg/L)	(μg/L)
		5/18/2004	BDL (0.5)	BDL (1.0)	BDL (0.5)	BDL (0.5)	15.8	BDL (0.5) -	BDL (0.5)
		4/19/2006	BDL (1.0)	BDL (1.0)	BDL (1.0)	16.3	BDL (1.0)	BDL (1.0)	BDL (1.0)
		10/19/2006	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	1.22	BDL (0.5)	BDL (0.5)
		5/01/2007	BDL (0.5)	BDL (0.5)	BDI. (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)
		10/17/2007 ⁽²⁾	NS	NS	NS	NS	NS	NS	NS
		10/23/2008	BDL (0.5)	BDt. (0.5)	BOL (0.5)	BDL (0.5)	5,28	80t. (0.5)	BDL (0.5)
		12/17/2008	8Dt (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	1.29	8DL (0.5)	BDL (0.5)
		4/07/2009	BDL (0.5)	8DL (0.5)	BOL (0.5)	2,86	BDL (0.5)	BDL (0.5)	BDL (0.5)
		10/21/2009	BDL (0.5)	BDL (0.5)	BOL (0.5)	BDL (0.5)	312	BDL (0.5)	BDL (0.5)
N#0 A 113	intornod	4/13/2010	BDL (0.658)	BDŁ (0.658)	BDL (0.658)	BDL (0.658)	6.68	8DL (0.658)	BDL (0.658)
M&A-113	intermed	10/20/2010	8DL (2.48)	8DL (2.48)	BDL (2.48)	BDL (2.48)	37.6	BDL (2.48)	BDL (2.48)
		4/20/2011	BDL (0.526)	BDL (0.526)	BDL (0.526)	BDL (0.526)	10.2	8DL (0.526)	BDL (0.526)
•		10/25/2011	8DL (6.25)	BDL (6.25)	BDL (6.25)	BDL (6.25)	20.6	BDL (6.25)	BDI. (6.25)
		4/25/2012	BDL (0.526)	BDL (0.526)	BDL (0.526)	BDL (0.526)		BDL (0.526)	8DL (0.526)
		10/02/2012	BDL (0.526)	BDL (0.526)	BDL (0.526)	BDL (0.526)	15.1	BDL (0.526)	BDL (0.526)
		10/21/2013	BDL (4.81)	BDL (4.81)	BDL (4.81)	BDL (4.81)	70.7	BDL (4.81)	BDL (4.81)
		4/02/2014	BDL (25.0)	BDL (25.0)	BDL (25.0)	BDL (25.0)	166	BDL (25.0)	BDL (25.0)
		10/28/2014	BDL (1120)	BDL (1120)	BDL (1120)	BDL (1120)	460	BDL (1120)	BDL (1120)
		4/07/2015	BDL (4.81)	BDL (4.81)	BDL (4.81)	BDL (4.81)	288	BDL (4.81)	BDL (4.81)
		10/28/2015	BDL (5.95)	BDL (5.95)	BDL (5.95)	BDL (5.95)	17.7	BDL (5.95)	BDL (5.95)
		10/02/2002	BDL (0.5)	BDL (1.0)	BDL (0.5)	16,8	BDL (0.5)	13.8	BDL (0.5)
		4/17/2006 ⁽³⁾	NS	NS	NS	NS	NS	NS	NS
		10/19/2006 ⁽³⁾	NS	ŅS	NS	NS	NS	NS	NS
		5/2/2007 ⁽³⁾	NS	NS	NS	NS	NS	NS	NS
		10/17/2007 ⁽³⁾	NS	NS	NS	NS	NS	NS	N\$
		10/22/2008 ⁽³⁾	NS	NS	NS	NS	NS	NS	NS
		10/20/2009	8DL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)
		4/07/2010	BDL (0.658)	BDL (0.658)	BDL (0.658)	BDL (0.658)	BDL (0.658)	BDL (0.658)	BDL (0.658)
M&A-114	Shallow	10/19/2010	BDL (0.495)	BDL (0.495)	BDL (0.495)	BDL (0.495)	BDL (0.495)	8DL (0.495)	8DL (0.495)
		4/20/2011	BDL (0.485)	BRL(<0.485)	BDL (0.485)	BDL (0.485)	2.13	8DL (0.485)	BDL (0.485)
		10/24/2011	BOL (0.481)	BDL (0.481)	BDL (0.481)	BDL (0.481)	BDL (0.481)	8DL (0.481)	SDL (0.481)
		10/01/2012	BDL (4.76)	BDL (4.76)	BDL (4.76)	BDL (4.76)	10.5	BOL (4.76)	BDL (4.76)
		10/21/2013	BDL (0.446)	BDL (0.446)	BDL (0.446)	BDL (0.446)	377	BDL (0.446)	BDL (0.446)
		4/01/2014	NS	NS	NS	NS	NS	NS	NS
		10/28/2014	BD£ (0.446)	BDL (0.446)	BDL (0.446)	BDL (0.446)	BDL (0.446)	BDL (0.446)	8DL (0.446)
		4/07/2015	BDL (5)	BDL (5)	BDL (5)	BDL (5)	79.3	BDL (5)	BDL (5)
		10/28/2015	BDL (5.95)	BDL (5.95)	BDL (5.95)	BDL (5.95)	BDL (5.95)	BDL (5.95)	BDI. (5.95)
		Historic data not p				•	at concentration	ns greater than I	aboratory
		reporting limits in	historic groundy	vater samples co					***************************************
M&A-116	Shallow	reporting limits in 4/07/2015	historic groundy BDL (0.0962)	BDL (0.0962)	BDL (0.0962)	BDL (0.0962)	BDL (0.0962)	BDL (0.0962)	BDL (0.0962)
M&A-116	Shallow	,		r		BDL (0.0962) BDL (0.521)	BDL (0.0962) BDL (0.521)	BDL (0.0962) BDL (0.521)	BDL (0.0962) BDL (0.521)
		4/07/2015	BDL (0.0962) BDL (0.521) presented; histor	BDL (0.0962) BDL (0.521) ic data indicates	BDL (0.0962) BDL (0.521) that PCBs have	BDL (0.521) not been present	BDL (0.521)	BDL (0.521)	BDL (0.521)
M&A-116 M&A-121	Shallow	4/07/2015 4/28/2015 Historic data not p	BDL (0.0962) BDL (0.521) presented; histor	BDL (0.0962) BDL (0.521) ic data indicates	BDL (0.0962) BDL (0.521) that PCBs have	BDL (0.521) not been present	BDL (0.521)	BDL (0.521)	

TABLE 1

HISTORIC AND CURRENT PCB RESULTS SUMMARY 2015 ANNUAL PCB REPORT

BODYCOTE THERMAL PROCESSING MELROSE PARK, IL

	GW Sample	es	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260		
IEPA	TACO Tier I	Standard	2.5	2.5	2.5	2.5	2.5	2.5	2.5		
WELL	AQUIFER	DATE	(µg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(µg/L)		
M&A-122	Intermed		resented; historic data indicates that PCBs have not been present at concentrations greater than laboratory historic groundwater samples collected from M&A-122.								
WIGA-122	intermed	4/08/2015	BDL (0.0962)	BDL (0.0962)	BDL (0.0962)	BDL (0.0962)	BDL (0.0962)	BDL (0.0962)	3DL (0.0962)		
		10/28/2015	BDt (0.521)	BDL (0.521)	BDL (0.521)	BDL (0.521)	BDL (0.521)	BDL (0.521)	BDL (0.521)		
M&A-124	Shallow	Historic data not preporting limits in				-	at concentratio	ns greater than l	aboratory		
IVIOXPI-1Z4	Shallow	4/7/2015	BDL (0.0893)	BDL (0.0893)	BOL (0.0893)	BDL (0.0893)	0.319	BDL (0.0893)	8DL (0.0893)		
		10/28/2015	BDL (0.521)	BDL (0.521)	BDL (0.521)	BDL (0.521)	BOL (0.521)	BDL (0.521)	BDL (0.521)		
M&A-126	Intermed	Historic data not preporting limits in					at concentratio	ns greater than l	aboratory		
internet		4/7/2015	BDL (0.0833)	BDL (0.0833)	BDL (0.0833)	BDL (0.0833)	BDL (0.0833)	BDL (0.0833)	BDL (0.0833)		
		10/29/2015	8DL (0.521)	BDL (0.521)	BDL (0.521)	BDL (0.521)	BDL (0.521)	BDL (0.521)	BDL (0.521)		
		4/19/2006	BOL (1.0)	BDL (1.0)	BDL (1.0)	BDL (1.0)	BDL {1.0}	BDL (1.0)	BDL (1.0)		
		10/18/2006	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)		
		5/02/2007	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDI. (0.5)	8DL (0.5)	BDL (0.5)	BDL (0.5)		
		10/17/2007	BDL (0.5)	BDL (0.5) -	BDL (0.5)	BDL (0.5)	8DL (0.5)	BDL (0.5)	BDL (0.5)		
		4/16/2008	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)		
	ŀ	10/22/2008	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	8DL (0.5)	BDL (0.5)	BDL (0.5)		
		4/09/2009	BDL (0.5)	BDL (0.5)	BDI, (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)		
		10/20/2009	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)		
		4/12/2010	1.08	BDL (0.625)	BDL (0.625)	BDL (0.625)	BDL (0.625)	BDL (0.625)	BDL (0.625)		
M&A-301	Shallow	10/20/2010	BDŁ (0.49)	BDL (0.49)	BDL (0.49)	BDL (0.49)	BDL (0.49)	BDL (0.49)	BDL (0.49)		
	311411011	4/20/2011	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)		
		10/25/2011	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDI, (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)		
		4/25/2012	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)		
		10/01/2012	BDL (5.0)	BDL (5.0)	BDL (5.0)	BDL (5.0)	BDL (5.0)	BDL (5.0)	BDL (5.0)		
		4/18/2013	6DL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)	BDL (0.5)		
		10/22/2013	BDL (0.417)	BDL (0.417)	BDL (0.417)	BDL (0.417)	BDL (0.417)	BDL (0.417)	BDL (0.417)		
		4/02/2014	BDL (0.500)	BDL (0.500)	BDL (0.500)	BDL (0.500)	BDL (0.500)	BDL (0.500)	BDI, (0.500)		
		10/29/2014	BDL (0.431)	BDL (0.431)	BDL (0.431)	BDL (0.431)	BDL (0.431)	BDL (0.431)	BDL (0.431)		
		4/07/2015	BDL (0.0893)	BDL (0.0893)	BDL (0.0893)	BDL (0.0893)	BDL (0.0893)	BDL (0.0893)	BDL (0.0893)		
		10/29/2015	BDL (0.543)	BDL (0.543)	BDL (0.543)	BDL (0.543)	BDL (0.543)	BDL (0.543)	BDL (0.543)		

Notes:

μg/L - micrograms per liter

PCB analysis performed via EPA Method 8082

TACO - Tiered Approach toward Corrective Action

TACO Tier I Standards based on the Illinois Environmental Protection Agency Title 35. Admin Code 742.505

Tier 1 Remediation Objectives for Class II Groundwater

Shading indicates compound exceeds established Illinois EPA TACO Tier I standard.


BOLD values indicate compound was detected above the laboratory method detection limit indicated.

NS - Not Sampled

- (1) Not sampled, well was dry.
- (2) Not sampled, insufficient water recharge to complete sampling.
- (3) Not sampled, well contained no water, only Free Product

CHARTS

CHART 1 HISTORIC PCB AROCOLR 1248 CONCENTRATIONS 2015 ANNUAL PCB REPORT BODYCOTE THERMAL PROCESSING



FIGURES

1

FIGURES

5 Alfred Cricle

Bedford MA, 01730 T. (781) 275-6050 - (800) 877-6050 www.mabbett.com © 2015, Mabbett & Associates, Inc.

PCB Annual Report

SITE LOCUS

1975 North Ruby Street Melrose Park, IL

Scale: See Scale Bar

Drawn: MJH Approved: CLM

Projection: NAD83 Illinois State Plane East (feet)

Date: 12/8/2015 Proj. No. 1998002.333

5 Alfred Cricle Bedford MA, 01730 T. (781) 275-6050 - (800) 877-6050 www.mabbett.com


© 2015, Mabbett & Associates, Inc.


1975 North Ruby Street Melrose Park, IL


Approved; CLM Drawn: MJH

Projection: NAD83 Illinois State Plane East (feet)

Proj. No. 1998002.333 Date: 12/8/2015








APPENDIX A

Laboratory Analytical Results April and October 2015



TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Nashville 2960 Foster Creighton Drive Nashville, TN 37204 Tel: (615)726-0177

TestAmerica Job ID: 490-76279-1

TestAmerica Sample Delivery Group: Bodycote - 1998002-332 Client Project/Site: Heat Treat Building-PCBs

For:

Mabbett & Associates, Inc. 5 Alfred Circle Bedford, Massachusetts 01730

Attn: Christopher Mabbett

Authorized for release by: 5/1/2015 3:35:12 PM

Kuth Hay

Ken Hayes, Project Manager II (615)301-5035

ken.haves@testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Γable of Contents	2
Sample Summary	3
Case Narrative	
Definitions	
Client Sample Results	
QC Sample Results	19
QC Association	
Chronicle	
	24
Certification Summary	2
Chain of Custody	
Receipt Checklists	

Sample Summary

Client: Mabbett & Associates, Inc. Project/Site: Heat Treat Building-PCBs

TestAmerica Job ID: 490-76279-1 SDG: Bodycote - 1998002-332

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
490-76279-1	M&A-114-040715	Water	04/07/15 10:57	04/10/15 08:55
490-76279-2	M&A-111-040715	Water	04/07/15 13:15	04/10/15 08:55
490-76279-3	MCA-5-040715	Water	04/07/15 11:45	04/10/15 08:55
490-76279-4	M&A-110-040715	Water	04/07/15 14:23	04/10/15 08:55
490-76279-5	M&A-104-040715	Water	04/07/15 15:15	04/10/15 08:55
490-76279-6	M&A-126-040715	Water	04/07/15 16:55	04/10/15 08:55
490-76279-7	M&A-301-040715	Water	04/07/15 16:15	04/10/15 08:55
490-76279-8	M&A-124-040715	Water	04/07/15 15:25	04/10/15 08:55
490-76279-9	M&A-113-040715	Water	04/07/15 14:30	04/10/15 08:55
490-76279-10	M&A-112-040715	Water	04/07/15 13:40	04/10/15 08:55
490-76279-11	M&A-121-040715	Water	04/07/15 11:45	04/10/15 08:55
490-76279-12	M&A-116-040715	Water	04/07/15 11:25	04/10/15 08:55
490-76279-13	M&A-122-040815	Water	04/08/15 08:45	04/10/15 08:55

Case Narrative

Client: Mabbett & Associates, Inc. Project/Site: Heat Treat Building-PCBs

TestAmerica Job ID: 490-76279-1 SDG: Bodycote - 1998002-332

Job ID: 490-76279-1

Laboratory: TestAmerica Nashville

Narrative

Job Narrative 490-76279-1

Comments

No additional comments.

Receip

The samples were received on 4/10/2015 8:55 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.8° C.

GC Semi VOA

Method(s) 8082A. The following sample was diluted due to the nature of the sample matrix: M&A-114-040715 (490-76279-1). Elevated reporting limits (RLs) are provided.

Method(s) 8082A: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate/sample duplicate (MS/MSD/DUP) associated with preparation batch 240986.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Organic Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

TestAmerica Nashville 5/1/2015

Page 4 of 29

Definitions/Glossary

Client: Mabbett & Associates, Inc. Project/Site: Heat Treat Building-PCBs TestAmerica Job ID: 490-76279-1 SDG: Bodycote - 1998002-332

Qualifiers

GC Semi VOA

Qualifier	
-----------	--

Qualifier Description

Toxicity Equivalent Quotient (Dioxin)

TEQ

The %RPD between the primary and confirmation column/detector is >40%. The lower value has been reported.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
<u>n</u>	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL.	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)

Client: Mabbett & Associates, Inc. Project/Site: Heat Treat Building-PCBs TestAmerica Job ID: 490-76279-1 SDG: Bodycote - 1998002-332

Client Sample ID: M&A-114-040715

Date Collected: 04/07/15 10:57 Date Received: 04/10/15 08:55 Lab Sample ID: 490-76279-1

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		5.00		ug/L		04/14/15 06:01	04/29/15 17:14	50
PCB-1221	ND		5,00		ug/L		04/14/15 06:01	04/29/15 17:14	50
PCB-1232	ND		5.00		ug/L		04/14/15 06:01	04/29/15 17:14	50
PCB-1242	ND		5,00		ug/L		04/14/15 06:01	04/29/15 17:14	50
PCB-1248	79.3		5.00		ug/L		04/14/15 06:01	04/29/15 17:14	50
PCB-1254	ND		5.00		ug/L		04/14/15 06:01	04/29/15 17:14	50
PCB-1260	ND		5.00		ug/L		04/14/15 06:01	04/29/15 17:14	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	10	p	10 - 150				04/14/15 06:01	04/29/15 17:14	50
Tetrachloro-m-xylene	62		10 150				04/14/15 06:01	04/29/15 17:14	50

Client: Mabbett & Associates, Inc. Project/Site: Heat Treat Building-PCBs TestAmerica Job ID: 490-76279-1 SDG: Bodycote - 1998002-332

Client Sample ID: M&A-111-040715

Date Collected: 04/07/15 13:15 Date Received: 04/10/15 08:55 Lab Sample ID: 490-76279-2

Matrix: Water

Analyte	Result (Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		0.100		ug/L		04/14/15 06:01	04/29/15 15:40	1
PCB-1221	ND		0.100		ug/L		04/14/15 06:01	04/29/15 15:40	1
PCB-1232	ND		0.100		ug/L		04/14/15 06:01	04/29/15 15:40	1
PCB-1242	ND		0.100		ug/L		04/14/15 06:01	04/29/15 15:40	1
PCB-1248	ND		0.100		ug/L		04/14/15 06:01	04/29/15 15:40	1
PCB-1254	ND		0.100		ug/L		04/14/15 06:01	04/29/15 15:40	1
PCB-1260	ND		0.100		ug/L		04/14/15 06:01	04/29/15 15:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	82		10 _ 150				04/14/15 06:01	04/29/15 15:40	
Tetrachloro-m-xylene	81		10 - 150				04/14/15 06:01	04/29/15 15:40	1

Client: Mabbett & Associates, Inc. Project/Site: Heat Treat Building-PCBs

TestAmerica Job ID: 490-76279-1 SDG: Bodycote - 1998002-332

Lab Sample ID: 490-76279-3

Matrix: Water

Client Sample ID: MCA-5-040715

Date Collected: 04/07/15 11:45 Date Received: 04/10/15 08:55

Analyte	ed Biphenyls (PCBs Result Qu	ualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND ND		0.100		ug/L		04/14/15 06:01	04/29/15 15:55	1
PCB-1221	ND		0.100		ug/L		04/14/15 06:01	04/29/15 15:55	1
PCB-1232	ND		0.100		ug/L		04/14/15 06:01	04/29/15 15:55	1
PCB-1242	ND		0.100		ug/L		04/14/15 06:01	04/29/15 15:55	1
PCB-1248	ND		0.100		ug/L		04/14/15 06:01	04/29/15 15:55	1
PCB-1254	ND		0.100		ug/L		04/14/15 06:01	04/29/15 15:55	1
PCB-1260	ND		0.100		ug/L		04/14/15 06:01	04/29/15 15:55	1
Surrogate	%Recovery Qu	ualifier	Limits		,		Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	86		10 _ 150				04/14/15 06:01	04/29/15 15:55	1
Tetrachloro-m-xylene	83		10 - 150				04/14/15 06:01	04/29/15 15:55	1

Client: Mabbett & Associates, Inc. Project/Site: Heat Treat Building-PCBs

TestAmerica Job ID: 490-76279-1

SDG: Bodycote - 1998002-332

Client Sample ID: M&A-110-040715

Date Collected: 04/07/15 14:23 Date Received: 04/10/15 08:55 Lab Sample ID: 490-76279-4

Matrix: Water

Analyte	Result Q	lualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND ND		0.100		ug/L		04/14/15 06:01	04/29/15 16:11	1
PCB-1221	ND		0.100		ug/L		04/14/15 06:01	04/29/15 16:11	1
PCB-1232	ND		0.100		ug/L		04/14/15 06:01	04/29/15 16:11	1
PCB-1242	ND		0.100		ug/L		04/14/15 06:01	04/29/15 16:11	1
PCB-1248	2.13		0.100		ug/L		04/14/15 06:01	04/29/15 16:11	1
PCB-1254	ND		0.100		ug/L		04/14/15 06:01	04/29/15 16:11	1
PCB-1260	ND		0.100		ug/L		04/14/15 06:01	04/29/15 16:11	1
Surrogate	%Recovery Q	ualifier)	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	78		10 _ 150				04/14/15 06:01	04/29/15 16:11	1
Tetrachloro-m-xylene	71		10 _ 150				04/14/15 06:01	04/29/15 16:11	1

Client: Mabbett & Associates, Inc. Project/Site: Heat Treat Building-PCBs

TestAmerica Job ID: 490-76279-1 SDG: Bodycote - 1998002-332

Client Sample ID: M&A-104-040715

Date Collected: 04/07/15 15:15 Date Received: 04/10/15 08:55 Lab Sample ID: 490-76279-5

Method: 8082A - Polychlorinate Analyte	, ,	Qualifier	RL RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		0.100		ug/L		04/14/15 06:01	04/29/15 16:27	1
PCB-1221	ND		0,100		ug/L		04/14/15 06:01	04/29/15 16:27	1
PCB-1232	ND		0.100		ug/L		04/14/15 06:01	04/29/15 16:27	1
PCB-1242	ND		0.100		ug/L		04/14/15 06:01	04/29/15 16:27	1
PCB-1248	ND		0,100		ug/L		04/14/15 06:01	04/29/15 16:27	1
PCB-1254	ND		0.100		ug/L		04/14/15 06:01	04/29/15 16:27	1
PCB-1260	ND		0.100		ug/L		04/14/15 06:01	04/29/15 16:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	79		10 _ 150				04/14/15 06:01	04/29/15 16:27	1
Tetrachloro-m-xylene	77	p	10 _ 150				04/14/15 06:01	04/29/15 16:27	1

Client: Mabbett & Associates, Inc. Project/Site: Heat Treat Building-PCBs

TestAmerica Job ID: 490-76279-1

SDG: Bodycote - 1998002-332

Client Sample ID: M&A-126-040715

Date Collected: 04/07/15 16:55 Date Received: 04/10/15 08:55 Lab Sample ID: 490-76279-6

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		0.0833		ug/L		04/14/15 06:01	04/29/15 16:42	1
PCB-1221 .	ND		0.0833		ug/L		04/14/15 06:01	04/29/15 16:42	1
PCB-1232	ND		0.0833		ug/L		04/14/15 06:01	04/29/15 16:42	1
PCB-1242	ND		0.0833		ug/L		04/14/15 06:01	04/29/15 16:42	1
PC8-1248	ND		0.0833		ug/L		04/14/15 06:01	04/29/15 16:42	1
PCB-1254	ND		0.0833		ug/L		04/14/15 06:01	04/29/15 16:42	1
PCB-1260	ND		0.0833		ug/L		04/14/15 06:01	04/29/15 16:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	78	-	10 - 150				04/14/15 06:01	04/29/15 16:42	1
Tetrachloro-m-xylene	76		10 - 150				04/14/15 06:01	04/29/15 16:42	1

Client: Mabbett & Associates, Inc. Project/Site: Heat Treat Building-PCBs

TestAmerica Job ID: 490-76279-1 SDG: Bodycote - 1998002-332

Client Sample ID: M&A-301-040715

Date Collected: 04/07/15 16:15 Date Received: 04/10/15 08:55 Lab Sample ID: 490-76279-7

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		0.0893		ug/L		04/14/15 06:01	04/29/15 16:58	1
PCB-1221	ŊD		0.0893		ug/L		04/14/15 06:01	04/29/15 16:58	1
PCB-1232	ND		0.0893		ug/L		04/14/15 06:01	04/29/15 16:58	1
PCB-1242	ND		0.0893		ug/L		04/14/15 06:01	04/29/15 16:58	. 1
PCB-1248	ND		0.0893		ug/L		04/14/15 06:01	04/29/15 16:58	1
PCB-1254	ND		0.0893		ug/L		04/14/15 06:01	04/29/15 16:58	1
PCB-1260	ND		0.0893		ug/L		04/14/15 06:01	04/29/15 16:58	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	79	FA12-81111111	10 - 150				04/14/15 06:01	04/29/15 16:58	1
Tetrachloro-m-xylene	62		10 - 150				04/14/15 06:01	04/29/15 16:58	1

Client: Mabbett & Associates, Inc. Project/Site: Heat Treat Building-PCBs

TestAmerica Job ID: 490-76279-1 SDG: Bodycote - 1998002-332

Client Sample ID: M&A-124-040715

Date Collected: 04/07/15 15:25 Date Received: 04/10/15 08:55 Lab Sample ID: 490-76279-8

Analyte	Result (Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		0.0893		ug/L		04/14/15 06:01	04/30/15 16:02	1
PCB-1221	ND		0.0893		ug/L		04/14/15 06:01	04/30/15 16:02	1
PCB-1232	ND		0.0893		ug/L		04/14/15 06:01	04/30/15 16:02	1
PCB-1242	ND		0.0893		ug/L		04/14/15 06:01	04/30/15 16:02	1
PCB-1248	0.319		0.0893		ug/L		04/14/15 06:01	04/30/15 16:02	1
PCB-1254	ND		0.0893		ug/L		04/14/15 06:01	04/30/15 16:02	1
PCB-1260	ND		0.0893		ug/L		04/14/15 06:01	04/30/15 16:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	92		10 - 150				04/14/15 06:01	04/30/15 16:02	1
Tetrachloro-m-xylene	74		10 - 150				04/14/15 06:01	04/30/15 16:02	1

Client: Mabbett & Associates, Inc. Project/Site: Heat Treat Building-PCBs TestAmerica Job ID: 490-76279-1 SDG: Bodycote - 1998002-332

Client Sample ID: M&A-113-040715

Date Collected: 04/07/15 14:30 Date Received: 04/10/15 08:55 Lab Sample ID: 490-76279-9

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	· ND	Allia Villa	4.81		ug/L		04/14/15 06:01	04/30/15 21:31	50
PCB-1221	ND		4,81		ug/L		04/14/15 06:01	04/30/15 21:31	50
PCB-1232	ND		4.81		ug/L		04/14/15 06:01	04/30/15 21:31	50
PCB-1242	ND		4.81		ug/L		04/14/15 06:01	04/30/15 21:31	50
PCB-1248	238		4.81		ug/L		04/14/15 06:01	04/30/15 21:31	50
PCB-1254	ND		4.81		ug/L		04/14/15 06:01	04/30/15 21:31	50
PCB-1260	ND		4.81		ug/L		04/14/15 06:01	04/30/15 21:31	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	28		10 _ 150				04/14/15 06:01	04/30/15 21:31	50
Tetrachloro-m-xylene	62		10 150				04/14/15 06:01	04/30/15 21:31	50

Client: Mabbett & Associates, Inc. Project/Site: Heat Treat Building-PCBs

TestAmerica Job ID: 490-76279-1 SDG: Bodycote - 1998002-332

Client Sample ID: M&A-112-040715

Date Collected: 04/07/15 13:40

Date Received: 04/10/15 08:55

Lab Sample ID: 490-76279-10

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		0,0962		ug/L		04/14/15 06:01	04/30/15 16:34	1
PCB-1221	ND		0.0962		ug/L		04/14/15 06:01	04/30/15 16:34	1
PCB-1232	ND		0.0962		ug/L		04/14/15 06:01	04/30/15 16:34	1
PCB-1242	ND		0.0962		ug/L		04/14/15 06:01	04/30/15 16:34	1
PCB-1248	1.25		0.0962		ug/L		04/14/15 06:01	04/30/15 16:34	1
PC8-1254	ND		0.0962		ug/L		04/14/15 06:01	04/30/15 16:34	1
PCB-1260	ND		0.0962		ug/L		04/14/15 06:01	04/30/15 16:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	67		10 - 150				04/14/15 06:01	04/30/15 16:34	1
Tetrachloro-m-xylene	62		10 - 150				04/14/15 06:01	04/30/15 16:34	1

Client: Mabbett & Associates, Inc.
Project/Site: Heat Treat Building-PCBs

TestAmerica Job ID: 490-76279-1 SDG: Bodycote - 1998002-332

Lab Sample ID: 490-76279-11

Matrix: Water

Client Sample ID: M&A-121-040715

Date Collected: 04/07/15 11:45 Date Received: 04/10/15 08:55

Analyte	Result Q	}ualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		0.0962		ug/L		04/14/15 06:01	04/30/15 16:49	1
PCB-1221	ND		0.0962		ug/L		04/14/15 06:01	04/30/15 16:49	1
PCB-1232	ND		0.0962		ug/L		04/14/15 06:01	04/30/15 16:49	1
PCB-1242	ND		0.0962		ug/L		04/14/15 06:01	04/30/15 16:49	1
PCB-1248	ND		0.0962		ug/L		04/14/15 06:01	04/30/15 16:49	1
PCB-1254	ND		0.0962		ug/L		04/14/15 06:01	04/30/15 16:49	1
PCB-1260	ND		0.0962		ug/L		04/14/15 06:01	04/30/15 16:49	1
Surrogate	%Recovery Q	ualifier)	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	73		10 _ 150				04/14/15 06:01	04/30/15 16:49	1
Tetrachloro-m-xylene	68		10 - 150				04/14/15 06:01	04/30/15 16:49	1

Client: Mabbett & Associates, Inc. Project/Site: Heat Treat Building-PCBs

TestAmerica Job ID: 490-76279-1 SDG: Bodycote - 1998002-332

Client Sample ID: M&A-116-040715

Date Collected: 04/07/15 11:25

Date Received: 04/10/15 08:55

Lab Sample ID: 490-76279-12

Analyte	Result (Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		0.0962		ug/L		04/14/15 06:01	04/30/15 17:05	1
PCB-1221	ND		0.0962		ug/L		04/14/15 06:01	04/30/15 17:05	1
PCB-1232	ND		0.0962		ug/L		04/14/15 06:01	04/30/15 17:05	1
PCB-1242	ND		0.0962		ug/L		04/14/15 06:01	04/30/15 17:05	1
PCB-1248	ND		0.0962		ug/L		04/14/15 06:01	04/30/15 17:05	1
PCB-1254	ND		0.0962		ug/L		04/14/15 06:01	04/30/15 17:05	1
PCB-1260	ND		0.0962		ug/L		04/14/15 06:01	04/30/15 17:05	1
Surrogate	%Recovery (Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	75		10 - 150				04/14/15 06:01	04/30/15 17:05	1
Tetrachloro-m-xylene	68		10 - 150				04/14/15 06:01	04/30/15 17:05	1

Client: Mabbett & Associates, Inc. Project/Site: Heat Treat Building-PCBs

TestAmerica Job ID: 490-76279-1 SDG: Bodycote - 1998002-332

Lab Sample ID: 490-76279-13

Matrix: Water

Client Sample ID: M&A-122-040815

Date Collected: 04/08/15 08:45 Date Received: 04/10/15 08:55

Analyte	Result Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND ND	0.0962		ug/L		04/14/15 06:01	04/30/15 17:21	1
PCB-1221	ND	0.0962		ug/L		04/14/15 06:01	04/30/15 17:21	1
PCB-1232	. ND	0.0962		ug/L		04/14/15 06:01	04/30/15 17:21	1
PCB-1242	ND	0.0962		ug/L		04/14/15 06:01	04/30/15 17:21	1
PCB-1248	ND	0.0962		ug/L		04/14/15 06:01	04/30/15 17:21	1
PCB-1254	ND	0.0962		ug/L		04/14/15 06:01	04/30/15 17:21	1
PCB-1260	ND	0.0962		ug/L		04/14/15 06:01	04/30/15 17:21	1
Surrogate	%Recovery Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	84	10 - 150				04/14/15 06:01	04/30/15 17:21	1
Tetrachloro-m-xylene	77	10 - 150				04/14/15 06:01	04/30/15 17:21	1

QC Sample Results

Client: Mabbett & Associates, Inc. Project/Site: Heat Treat Building-PCBs

TestAmerica Job ID: 490-76279-1 SDG: Bodycote - 1998002-332

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Lab Sample ID: MB 490-240986/1-A

Matrix: Water

Analysis Batch: 244604

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 240986

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		0.100		ug/L		04/14/15 06:01	04/29/15 14:06	
PCB-1221	ND		0.100		ug/L	-	04/14/15 06:01	04/29/15 14:06	1
PCB-1232	ND		0.100		ug/L		04/14/15 06:01	04/29/15 14:06	1
PCB-1242	ND		0.100		ug/L		04/14/15 06:01	04/29/15 14:06	1
PCB-1248	ND		0.100		ug/L		04/14/15 06:01	04/29/15 14:06	1
PCB-1254	ND		0.100		ug/L		04/14/15 06:01	04/29/15 14:06	1
PCB-1260	ND		0.100		ug/L .		04/14/15 06:01	04/29/15 14:06	1
	МВ	MB							

Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac DCB Decachlorobiphenyl (Surr) 80 10 _ 150 04/14/15 06:01 04/29/15 14:06 Tetrachloro-m-xylene 81 10 - 150 04/14/15 06:01 04/29/15 14:06

Lab Sample ID: LCS 490-240986/2-A

Matrix: Water

Analysis Batch: 244604

Client Sample ID: Lab Control Sample Prep Type: Total/NA

Prep Batch: 240986

	Spike	LCS	LCS			%Rec.	
Analyte	Added	Result	Qualifier Unit	D	%Rec	Limits	
PCB-1016	8.00	5.742	ug/L		72	23 - 139	
PCB-1260	8.00	5.420	ug/L		68	36 - 144	

 Surrogate
 %Recovery
 Qualifier
 Limits

 DCB Decachlorobiphenyl (Surr)
 79
 10 - 150

 Tetrachloro-m-xylene
 77
 10 - 150

QC Association Summary

Client: Mabbett & Associates, Inc. Project/Site: Heat Treat Building-PCBs

TestAmerica Job ID: 490-76279-1 SDG: Bodycote - 1998002-332

GC Semi VOA

Prep Batch: 2409	Prep	Batch:	240986
------------------	------	--------	--------

Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch
490-76279-1	M&A-114-040715	Total/NA	Water	3510C	
490-76279-2	M&A-111-040715	Total/NA	Water	3510C	
490-76279-3	MCA-5-040715	Total/NA	Water	3510C	
490-76279-4	M&A-110-040715	Total/NA	Water	3510C	
490-76279-5	M&A-104-040715	Total/NA	Water	3510C	
490-76279-6	M&A-126-040715	Total/NA	Water	3510C	
490-76279-7	M&A-301-040715	Total/NA	Water	3510C	•
490-76279-8	M&A-124-040715	Total/NA	Water	3510C	
490-76279-9	M&A-113-040715	Total/NA	Water	3510C	
490-76279-10	M&A-112-040715	Total/NA	Water	3510C	
490-76279-11	M&A-121-040715	Total/NA	Water	3510C	
490-76279-12	M&A-116-040715	Totai/NA	Water	3510C	
490-76279-13	M&A-122-040815	Total/NA	Water	3510C	
LCS 490-240986/2-A	Lab Control Sample	Total/NA	Water	3510C	
MB 490-240986/1-A	Method Blank	Total/NA	Water	3510C	

Analysis Batch: 244604

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-76279-1	M&A-114-040715	Total/NA	Water	8082A	240986
490-76279-2	M&A-111-040715	Total/NA	Water	8082A	240986
490-76279-3	MCA-5-040715	Total/NA	Water	8082A	240986
490-76279-4	M&A-110-040715	Total/NA	Water	8082A	240986
490-76279-5	M&A-104-040715	Total/NA	Water	8082A	240986
490-76279-6	M&A-126-040715	Total/NA	Water	8082A	240986
490-76279-7	M&A-301-040715	Total/NA	Water	8082A	240986
LCS 490-240986/2-A	Lab Control Sample	Total/NA	Water	8082A	240986
MB 490-240986/1-A	Method Blank	Total/NA	Water	8082A	240986

Analysis Batch: 244869

` Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch
490-76279-8	M&A-124-040715	Total/NA	Water	8082A	240986
490-76279-9	M&A-113-040715	Total/NA	Water	8082A	240986
490-76279-10	M&A-112-040715	Total/NA	Water	8082A	240986
490-76279-11	M&A-121-040715	Total/NA	Water	8082A	240986
490-76279-12	M&A-116-040715	Total/NA	Water	8082A	240986
490-76279-13	M&A-122-040815	Total/NA	Water	8082A	240986

Lab Chronicle

Client: Mabbett & Associates, Inc. Project/Site: Heat Treat Building-PCBs

TestAmerica Job ID: 490-76279-1 SDG: Bodycote - 1998002-332

Client Sample ID: M&A-114-040715

Date Collected: 04/07/15 10:57 Date Received: 04/10/15 08:55 Lab Sample ID: 490-76279-1

Matrix: Water

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			125 mL	1 mL	240986	04/14/15 06:01	ET	TAL NSH
Total/NA	Analysis	8082A		50	125 mL	1 mL	244604	04/29/15 17:14	MGH	TAL NSH

Client Sample ID: M&A-111-040715

Date Collected: 04/07/15 13:15

Date Received: 04/10/15 08:55

Lab Sample ID: 490-76279-2

Matrix: Water

	Batch	Batch	_	Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			125 mL	1 mL	240986	04/14/15 06:01	ET	TAL NSH
Total/NA	Analysis	8082A		1	125 mL	1 mL	244604	04/29/15 15:40	MGH	TAL NSH

Client Sample ID: MCA-5-040715

Date Collected: 04/07/15 11:45

Date Received: 04/10/15 08:55

Lab Sample ID: 490-76279-3

Matrix: Water

		Batch	Batch		Dil	Initial	Final	Batch	Prepared		
	Ргер Туре	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
İ	Total/NA	Prep	3510C			125 mL	1 mL	240986	04/14/15 06:01	ET	TAL NSH
İ	Total/NA	Analysis	8082A		1	125 mL	1 mL	244604	04/29/15 15:55	MGH	TAL NSH

Client Sample ID: M&A-110-040715

Date Collected: 04/07/15 14:23

Date Received: 04/10/15 08:55

Lab Sample ID: 490-76279-4

Matrix: Water

		Batch	Batch		Dil	Initial	Final	Batch	Prepared		
į	Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
i	Total/NA	Prep	3510C			125 mL	1 mL	240986	04/14/15 06:01	ET	TAL NSH
	Total/NA	Analysis	8082A		1	125 mL	1 mL	244604	04/29/15 16:11	MGH	TAL NSH

Client Sample ID: M&A-104-040715

Date Collected: 04/07/15 15:15

Date Received: 04/10/15 08:55

Lab Sample ID: 490-76279-5

Matrix: Water

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Ргер Туре	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			125 mL	1 mL	240986	04/14/15 06:01	ET	TAL NSH
Total/NA	Analysis	8082A		1	125 mL	1 mL	244604	04/29/15 16:27	MGH	TAL NSH

Client Sample ID: M&A-126-040715

Date Collected: 04/07/15 16:55

Date Received: 04/10/15 08:55

Lab Sample ID: 490-76279-6

Matrix: Water

····	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			150 mL	1 mL	240986	04/14/15 06:01	ET	TAL NSH
Total/NA	Analysis	8082A		1	150 mL	1 mL	244604	04/29/15 16:42	MGH	TAL NSH

TestAmerica Nashville

Lab Chronicle

Client: Mabbett & Associates, Inc. Project/Site: Heat Treat Building-PCBs TestAmerica Job ID: 490-76279-1 SDG: Bodycote - 1998002-332

Client Sample ID: M&A-301-040715

Date Collected: 04/07/15 16:15 Date Received: 04/10/15 08:55

Lab Sample ID: 490-76279-7

Matrix: Water

	Batch	Batch		Dîl	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			140 mL	1 mL	240986	04/14/15 06:01	ET	TAL NSH
 Total/NA	Analysis	8082A		1	140 mL	1 mL	244604	04/29/15 16:58	MGH	TAL NSH

Client Sample ID: M&A-124-040715

Date Collected: 04/07/15 15:25 Date Received: 04/10/15 08:55

Lab Sample ID: 490-76279-8

Matrix: Water

**************************************	Batch	Batch		Dil	Initial _,	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			140 mL	1 mL	240986	04/14/15 06:01	ET	TAL NSH
Total/NA	Analysis	8082A		1	140 mL	1 mL	244869	04/30/15 16:02	MGH	TAL NSH

Client Sample ID: M&A-113-040715

Date Collected: 04/07/15 14:30

Date Received: 04/10/15 08:55

Lab Sample ID: 490-76279-9

Matrix: Water

Matrix: Water

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			130 mL	1 mL	240986	04/14/15 06:01	ET	TAL NSH
Total/NA	Analysis	8082A		50	130 mL	1 mL	244869	04/30/15 21:31	MGH	TAL NSH

Client Sample ID: M&A-112-040715

Date Collected: 04/07/15 13:40

Date Received: 04/10/15 08:55

				//-						
	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Ргер Туре	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			130 mL	1 mL	240986	04/14/15 06:01	ET	TAL NSH
Total/NA	Analysis	8082A		1	130 mL	1 mL	244869	04/30/15 16:34	MGH	TAL NSH

Client Sample ID: M&A-121-040715

Date Collected: 04/07/15 11:45

Date Received: 04/10/15 08:55

Lab Sample ID:	490-76279-11
----------------	--------------

Lab Sample ID: 490-76279-10

Matrix: Water

 ·····	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Ргер	3510C			130 mL	1 mL	240986	04/14/15 06:01	ET	TAL NSH
Total/NA	Analysis	8082A		1	130 mL	1 mL	244869	04/30/15 16:49	MGH	TAL NSH

Client Sample ID: M&A-116-040715

Date Collected: 04/07/15 11:25

Date Received: 04/10/15 08:55

Lab Sample	ID:	490-76279-12
		Matrix: Water

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			130 mL	1 mL	240986	04/14/15 06:01	ET	TAL NSH
Total/NA	Analysis	8082A		1	130 mL	1 mL	244869	04/30/15 17:05	MGH	TAL NSH

TestAmerica Nashville

Lab Chronicle

Client: Mabbett & Associates, Inc. Project/Site: Heat Treat Building-PCBs

TestAmerica Job ID: 490-76279-1 SDG: Bodycote - 1998002-332

Client Sample ID: M&A-122-040815

Date Collected: 04/08/15 08:45 Date Received: 04/10/15 08:55 Lab Sample ID: 490-76279-13

Matrix: Water

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			130 mL	1 mL	240986	04/14/15 06:01	ET	TAL NSH
Total/NA	Analysis	8082A		1	130 mL	1 mL	244869	04/30/15 17:21	MGH	TAL NSH

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Method Summary

Client: Mabbett & Associates, Inc. Project/Site: Heat Treat Building-PCBs

TestAmerica Job ID: 490-76279-1 SDG: Bodycote - 1998002-332

Method	Method Description	Protocol	Laboratory
8082A	Polychlorinated Biphenyls (PCBs) by Gas Chromatography	SW846	TAL NSH

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Certification Summary

Client: Mabbett & Associates, Inc. Project/Site: Heat Treat Building-PCBs

TestAmerica Job ID: 490-76279-1 SDG: Bodycote - 1998002-332

Laboratory: TestAmerica Nashville

The certifications listed below are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
	NELAP	5	200010	12-09-15



COOLER RECEIPT FORM



ΔM(E / Ω /	13 CHAIL OF COOLOR
Cooler Received/Opened On 4/10/2015 @ 8:55	
1. Tracking # 52 38 (last 4 digits, FedEx)	
Courier: FedEx IR Gun ID 17610176	
2. Temperature of rep. sample or temp blank when opened: L-S_Degrees Celsius	
3. If Item #2 temperature is 0°C or less, was the representative sample or temp blank frozen?	YES NO. (NA)
4. Were custody seals on outside of cooler? If yes, how many and where: ### ### ############################	(ES)NONA
	AFO NO NA
5. Were the seals intact, signed, and dated correctly?	YES NO NA
6. Were custody papers inside cooler?	(YES)NONA
I certify that I opened the cooler and answered questions 1-6 (intial)	
7. Were custody seals on containers: YES NO and Intact	YESNO.
Were these signed and dated correctly?	YESNONA
8. Packing mat'l used? Bubblewrap Plastic bag Peanuts Vermiculite Foam Insert Paper	Other None
9. Cooling process: Ice-pack Ice (direct contact) Dry ice	Other None
10. Did all containers arrive in good condition (unbroken)?	ÉSNONA
11. Were all container labels complete (#, date, signed, pres., etc)?	YESNONA
12. Did all container labels and tags agree with custody papers?	€SNONA
13a. Were VOA vials received?	YES.(NO)NA
b. Was there any observable headspace present in any VOA vial?	YESNONA
14. Was there a Trip Blank in this cooler? YESNO.	:e #
certify that I unloaded the cooler and answered questions 7-14 (intial)	P
15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level?	YESNO.NA)
b. Did the bottle labels indicate that the correct preservatives were used	YESNO., (NA)
16. Was residual chlorine present?	YES.(ND)NA
I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (intial)	<u> </u>
17. Were custody papers properly filled out (ink, signed, etc)?	FE9NONA
18. Did you sign the custody papers in the appropriate place?	YES.).NONA
19. Were correct containers used for the analysis requested?	ÝÈSNONA
20. Was sufficient amount of sample sent in each container?	YES NO NA
I certify that I entered this project into LIMS and answered questions 17-20 (intial)	W.
I certify that I attached a label with the unique LIMS number to each container (intial)	0
21. Were there Non-Conformance issues at login? YES. NO Was a NCM generated? YES.	w@ #

Page 27 of 29

TestAmerica Nashville

2960 Foster Creighton Drive Nashville, TN 37204 **Chain of Custody Record**

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTUY

Priorie (615) 726-0177 Fax (615) 726-3404			- h		_	-											
Client Information	Sampler: M.HoTON		Ha	ь РМ: ayes, k	Ken							fracking NEX				COC No: 490-36687-1243	6.1 ±
Client Contact Michael Horton	Phone: (774) 254-42	77/		Mail: en.haye	es@	testar	nericair	c.com			, c					Page: Page 1 of 2	
Company: Mabbett & Associates, Inc.								Ana	lysis	Requ	este	d				"1998002	-332
Address: 5 Alfred Circle	Due Date Requested:														ngaras n n	Preservation Cod A - HCL	les: M - Hexane
City: Bedford	TAT Requested (days):	L		7	美羅										glia-	B - NaOH C - Zn Acetate	N - None O - AsNaO2
State, Zip: MA, 01730	•)			が				Loc:						a j	D - Nitric Acid E - NaHSO4	P - Na2O45 Q - Na2SO3
Phone (781) 875-6050	PO#: 5088		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		or No			ſ	762	279	ł				73.	F - MeOH G - Amchior	R - Na2S2SO3 S - H2SO4
Email:	WO #:					260)									1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	H - Ascorbic Acid I - Ice	T - TSP Dodecahydrate U - Acetone V - MCAA
horton@mabbett.com . Project Name:	Project #.		 	٦š	1	1016-1		1	r						tainers	J - DI Water K - EDTA L - EDA	W - ph 4-5 Z - other (specify)
Heat Treat Building-PCBs Site: 7	49002697 SSOW#:				e A	PCBs (1016-1260)									_ [E	Other:	Z outer (appeary)
Site: Bedycotc		····	Matrix) ISI										er of		
		Sample Type	(W⊯water, S≖solid,		Patronia INS	- Standard									Number		
Sample identification	Sam Sample Date Tir	ple (C=comp,	O∞waste/oli, BT≔Tissue, A=Air}		oue	8082A -									Total P	Spacial in	structions/Note:
Action Value of the Control of the	Odniple Date III		ition Code		~	N.	250	200	475.	1.5	3	10	36	 -	V	Special III	Structions/Note.
M&A-114-040715	4/7/15 105	, (3) jan 1 jan	Water	- 1-1	2	X	•	ochul ".	- 1 - 1 - 1 - 1						1	1	and the same of th
MEA-111-040715	4/7/15 131	5 6	Water	7	<u>ب</u>	X			1				1 +		2		
MCA-5-040715	4/7/15 119	15 G	Water	N	2	X					_ -				2		
MEA-110-040715	4/7/15 141	83 G	Water	7	7	X									2		
MEA-104-046715	4/7/15 15	15 G	Water	7~	2	X									2		
M&A-126-040715	4/7/15 165	55 G	Water	72	2	X									2		
MEA-301-040715	4/7/15 161	5 G	Water	N	2	X									2		
M&A-124-040715	4/7/15 15	25 G	Water	7	2	X			_} `						2		
M&A-113-046715	4/7/15 143	30 G	Water	N		X									2	High TCE	Cortamination
MtA-112-040715	4/7/15 134		Water		2										2		
M&A-121-070715	4/7/15 114	5 6	Water	M											2		
Possible Hazard Identification □ Non-Hazard □ Flammable □ Skin Irritant □ Pois	on B	Radiologica	ı	ŀ	Sar.	nple D □ _{Ret}	isposa um To (I (A fe ≎lient	e may [e d if s a I By La		are r		ed longer than 1 ive For	month) Months
Deliverable Requested: I, II, III, IV, Other (specify)	OIT D OIMIOMI		· · · · · · · · · · · · · · · · · · ·	_			struction		Requir			wy wo		<u>, , , , , , , , , , , , , , , , , , , </u>	AICIII	V6 / U/	Workins
Empty Kit Relinquished by:	Date:	·····		Tim	ne:						M	ethod of	Shipme	nt.			***
Relinquished by: M. Horton All A M Relinquished by:	Date/Time: 4/9/15 100	ಲ	Company	2#-		Receive	d by:	d Ex					Date/T	ine:			Company
Relinquished by:	Date/Time:	. <u>-</u>	Company			Receive					1	4~	Date/T	哩,	2 1	5 0813	Company (&
Relinquished by:	Date/Time:		Company			Receive	d by:			-			Date/T	ime:			Сотралу

TestAmerica Nashville

2960 Foster Creighton Drive Nashville, TN 37204

mass un est : 388

Chain of Custody Record

Tes					
	all de la co	200 A A.	philosophic	10000	at the construction of the

THE LEADER IN ENVIRONMENTAL TESTING Phone (615) 726-0177 Fax (615) 726-3404 Lab PM: Sampler: Carrier Tracking No(s): Client Information Hayes, Ken 490-36687-12436.2 Client Contact: E-Mail: Page: Michael Horton ken.hayes@testamericainc.com Page 2 of 2 Job#: Mabbett & Associates, Inc. Analysis Requested Address: Due Date Requested: Preservation Codes: 5 Alfred Circle A-HCL M - Hexane City: TAT Requested (days): B - NaOH Bedford C - Zn Acetate O - AsNaO2 State, Zip: D - Nitric Acid P-Na2O4S Loc: 490 MA, 01730 E - NaHSO4 Q - Na2SO3 76279 F - MeOH R - Na2S2SO3 Phone; PO#; G - Amchior S - H2SO4 5088 H - Ascorbic Acid T - TSP Dodecahydrate Perform MS/MSD (Nes or No) WO#: I - Ice U - Acetone J - DI Water horton@mabbett.com V - MCAA K - EDTA W - ph 4-5 Project Name: Project#: L-EDA Z - other (specify) Heat Treat Building-PCBs 49002697 SSOW#: Other: Total Number of Matrix Sample (W≕water, Type Sample (C=comp, Sample Identification Sample Date Time G=grab) | B7=71ssue, A=Air) Special Instructions/Note: Preservation Code: MEA-116-040715 MEA-122-040815 1125 G Water Water Water Water Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) Non-Hazard Flammable Skin Irritant Poison B Unknown Radiological
Deliverable Requested: I, II, III, IV, Other (specify) Return To Client Disposal By Lab Archive For_ Special Instructions/QC Requirements: Empty Kit Relinquished by: Date: Method of Shipment: Received by: Date/Time 4/4/15 Company M. Horton 0855 1000 Relinquished by: Company Received by: Relinquished by: Date/Time: Company Received by: Date/Time: Company Custody Seals Intact: Custody Seal No.: Cooler Temperature(s) °C and Other Remarks; Δ Yes Δ No

Login Sample Receipt Checklist

Client: Mabbett & Associates, Inc.

Job Number: 490-76279-1

SDG Number: Bodycote - 1998002-332


List Source: TestAmerica Nashville

Login Number: 76279

List Number: 1

Creator: Buckingham, Paul

Question	Answer	Comment
Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>True</td> <td></td>	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	•
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	True	



TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc. TestAmerica Nashville 2960 Foster Creighton Drive Nashville, TN 37204

Tel: (615)726-0177

TestAmerica Job ID: 490-90875-1

TestAmerica Sample Delivery Group: 1998002.333 Client Project/Site: Bodycote Heat Treat Building

For

Mabbett & Associates, Inc. 5 Alfred Circle Bedford, Massachusetts 01730

Attn: Christopher Mabbett

Authorized for release by: 11/13/2015 11:54:54 AM

Kuth Hayer

Ken Hayes, Project Manager II (615)301-5035

ken.hayes@testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

TestAmerica Job ID: 490-90875-1 SDG: 1998002.333

Client: Mabbett & Associates, Inc.
Project/Site: Bodycote Heat Treat Building

Table of Contents

Cover Page	1
Table of Contents	
Sample Summary	
Case Narrative	
Definitions	
Client Sample Results	
QC Sample Results	
QC Association	
Chronicle	22
Method Summary	
Certification Summary	26
Chain of Custody	27
Receipt Checklists	

Sample Summary

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
490-90875-1	MCA-5-102815	Ground Water	10/28/15 14:15	10/31/15 10:45
490-90875-2	M&A-104-102815	Ground Water	10/28/15 15:35	10/31/15 10:45
490-90875-3	M&A-110-102815	Ground Water	10/28/15 16:15	10/31/15 10:45
490-90875-4	M&A-111-102815	Ground Water	10/28/15 16:50	10/31/15 10:45
490-90875-5	M&A-112-102815	Ground Water	10/28/15 16:45	10/31/15 10:45
490-90875-6	M&A-113-102815	Ground Water	10/28/15 16:00	10/31/15 10:45
490-90875-7	M&A-114-102815	Ground Water	10/28/15 14:35	10/31/15 10:45
490-90875-8	M&A-116-102815	Ground Water	10/28/15 13:45	10/31/15 10:45
490-90875-9	M&A-121-102815	Ground Water	10/28/15 14:10	10/31/15 10:45
490-90875-10	M&A-122-102815	Ground Water	10/28/15 17:40	10/31/15 10:45
190-90875-11	M&A-124-102815	Ground Water	10/28/15 15:50	10/31/15 10:45
190-90875-12	M&A-126-102915	Ground Water	10/29/15 09:15	10/31/15 10:45
490-90875-13	M&A-301-102915	Ground Water	10/29/15 08:25	10/31/15 10:45
490-90875-14	DUP-02-102915	Ground Water	10/29/15 08:00	10/31/15 10:45

Case Narrative

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

Job ID: 490-90875-1

Laboratory: TestAmerica Nashville

Narrative

Job Narrative 490-90875-1

Comments

No additional comments.

Receipt

The samples were received on 10/31/2015 10:45 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.0° C.

GC Semi VOA

Method(s) 8082A: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 490-295482 and analytical batch 490-296843.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Organic Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Definitions/Glossary

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
n	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL.	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

Client Sample ID: MCA-5-102815

Date Collected: 10/28/15 14:15 Date Received: 10/31/15 10:45 Lab Sample ID: 490-90875-1

Analyte	Result Qualifier	s) by Gas Chro RL	MDL Unit	Đ	Prepared	Analyzed	Dil Fac
PCB-1016	ND ND	0.521	ug/L		11/04/15 10:02	11/09/15 17:04	1
PCB-1221	ND	0.521	ug/L		11/04/15 10:02	11/09/15 17:04	1
PCB-1232	ND	0.521	ug/L		11/04/15 10:02	11/09/15 17:04	1
PCB-1242	ND	0.521	ug/L		11/04/15 10:02	11/09/15 17:04	1
PCB-1248	ND	0.521	ug/L		11/04/15 10:02	11/09/15 17:04	1
PCB-1254	ND	0.521	ug/L		11/04/15 10:02	11/09/15 17:04	1
PCB-1260	ND	0.521	ug/L.		11/04/15 10:02	.11/09/15 17:04	1
Surrogate	%Recovery Qualifier	Limits			Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	70	10 - 150			11/04/15 10:02	11/09/15 17:04	1
Tetrachloro-m-xylene	91	10 - 150			11/04/15 10:02	11/09/15 17:04	1

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

Client Sample ID: M&A-104-102815

Date Collected: 10/28/15 15:35 Date Received: 10/31/15 10:45 Lab Sample ID: 490-90875-2

Analyte	nated Biphenyls Result Qւ		RL.	_		Ð	Prepared	Analyzed	Dil Fac
PCB-1016	ND		0.500		ug/L		11/04/15 10:02	11/09/15 17:19	1
PCB-1221	ND		0.500		ug/L		11/04/15 10:02	11/09/15 17:19	1
PCB-1232	ND		0.500		ug/L		11/04/15 10:02	11/09/15 17:19	1
PCB-1242	ND		0.500		ug/L		11/04/15 10:02	11/09/15 17:19	1
PCB-1248	ND		0.500		ug/L		11/04/15 10:02	11/09/15 17:19	1
PCB-1254	ND		0.500		ug/L		11/04/15 10:02	11/09/15 17:19	1
PCB-1260	ND		0.500		ug/L		11/04/15 10:02	11/09/15 17:19	1
Surrogate	%Recovery Qu	ualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	111		10 - 150				11/04/15 10:02	11/09/15 17:19	1
Tetrachloro-m-xylene	89		10 - 150				11/04/15 10:02	11/09/15 17:19	1

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

Client Sample ID: M&A-110-102815

Date Collected: 10/28/15 16:15

Lab Sample ID: 490-90875-3 Matrix: Ground Water

Date Received: 10/31/15 10:45

Method: 8082A - Polychlori	, , ,	, <u>-</u>				December	l	Dil E
Analyte	Result Qualifier	RL	MDL (Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND	0.521	ī	ug/L		11/04/15 10:02	11/09/15 17:35	1
PCB-1221	ND	0.521	ι	ug/L		11/04/15 10:02	11/09/15 17:35	1
PCB-1232	ND	0.521	ι	ug/L		11/04/15 10:02	11/09/15 17:35	1
PCB-1242	ND	0.521	ŧ	ug/L		11/04/15 10:02	11/09/15 17:35	1
PCB-1248	10.1	0.521	ŧ	ug/L		11/04/15 10:02	11/09/15 17:35	1
PCB-1254	ND	0.521	i	ug/L		11/04/15 10:02	11/09/15 17:35	1
PCB-1260	ND	0.521	ι	ug/L		11/04/15 10:02	11/09/15 17:35	1
Surrogate	%Recovery Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	89	10 _ 150				11/04/15 10:02	11/09/15 17:35	1
Tetrachloro-m-xylene	86	10 - 150				11/04/15 10:02	11/09/15 17:35	1

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

Client Sample ID: M&A-111-102815

Date Collected: 10/28/15 16:50 Date Received: 10/31/15 10:45 Lab Sample ID: 490-90875-4

Analyte	Result Q	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND	11.4	0.521		ug/L		11/04/15 10:02	11/09/15 17:50	1
PCB-1221	, ND		0.521		ug/L		11/04/15 10:02	11/09/15 17:50	1
PCB-1232	ND		0.521		ug/L		11/04/15 10:02	11/09/15 17:50	1
PCB-1242	ND		0.521		ug/L		11/04/15 10:02	11/09/15 17:50	1
PCB-1248	7.00		0.521		ug/L		11/04/15 10:02	11/09/15 17:50	1
PCB-1254	ND		0.521		ug/L		11/04/15 10:02	11/09/15 17:50	1
PCB-1260	ND		0.521		ug/L		11/04/15 10:02	11/09/15 17:50	1
Surrogate	%Recovery Q	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	85		10 - 150				11/04/15 10:02	11/09/15 17:50	
Tetrachloro-m-xylene	80		10 - 150				11/04/15 10:02	11/09/15 17:50	1

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

Client Sample ID: M&A-112-102815

Date Collected: 10/28/15 16:45 Date Received: 10/31/15 10:45 Lab Sample ID: 490-90875-5

Method: 8082A - Polychloria	nated Biphenyls (Pt Result Qualif		matogra MDL		D	Prepared	Analyzed	Dil Fac
PCB-1016	ND -	0.521		ug/L		11/04/15 10:02	11/09/15 18:06	1
PCB-1221	ND	0.521		ug/L		11/04/15 10:02	11/09/15 18:06	1
PCB-1232	ND	0.521		ug/L		11/04/15 10:02	11/09/15 18:06	1
PCB-1242	ND	0.521		ug/L		11/04/15 10:02	11/09/15 18:06	1
PCB-1248	ND	0.521		ug/L		11/04/15 10:02	11/09/15 18:06	1
PCB-1254	ND	0.521		ug/L		11/04/15 10:02	11/09/15 18:06	1
PCB-1260	ND	0.521		ug/L		11/04/15 10:02	11/09/15 18:06	1
Surrogate	%Recovery Qualif	ier Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)		10 - 150				11/04/15 10:02	11/09/15 18:06	1
Tetrachloro-m-xylene	83	10 - 150				11/04/15 10:02	11/09/15 18:06	1

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

Client Sample ID: M&A-113-102815

Date Collected: 10/28/15 16:00 Date Received: 10/31/15 10:45 Lab Sample ID: 490-90875-6

Analyte	Result Qu	ıalifier RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND	5.95		ug/L		11/04/15 10:02	11/09/15 23:19	10
PCB-1221	ND	5.95		ug/L		11/04/15 10:02	11/09/15 23:19	10
PCB-1232	ND	5.95		ug/L		11/04/15 10:02	11/09/15 23:19	10
PCB-1242	ND	5.95		ug/L		11/04/15 10:02	11/09/15 23:19	10
PCB-1248	17.2	5.95		ug/L		11/04/15 10:02	11/09/15 23:19	10
PCB-1254	ND	5.95		ug/L		11/04/15 10:02	11/09/15 23:19	10
PCB-1260	ND	5.95		ug/L		11/04/15 10:02	11/09/15 23:19	10
Surrogate	%Recovery Qu	ualifier Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	121	10 - 150				11/04/15 10:02	11/09/15 23:19	10
Tetrachloro-m-xylene	107	10 - 150				11/04/15 10:02	11/09/15 23:19	10

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

Client Sample ID: M&A-114-102815

Date Collected: 10/28/15 14:35 Date Received: 10/31/15 10:45 Lab Sample ID: 490-90875-7

Method: 8082A - Polychlorii Analyte	nated bipnenyis Result C		RL	MDL		D	Prepared	Analyzed	Dil Fac
PCB-1016	ND ND		0.595		ug/L		11/04/15 10:02	11/09/15 18:37	1
PCB-1221	ND		0.595		ug/L		11/04/15 10:02	11/09/15 18:37	1
PCB-1232	ND		0.595		ug/L		11/04/15 10:02	11/09/15 18:37	1
PCB-1242	ND		0.595		ug/L		11/04/15 10:02	11/09/15 18:37	1
PCB-1248	ND		0.595		ug/L		11/04/15 10:02	11/09/15 18:37	1
PCB-1254	ND		0.595		ug/L		11/04/15 10:02	11/09/15 18:37	1
PCB-1260	. ND		0.595		ug/L		11/04/15 10:02	11/09/15 18:37	1
Surrogate	%Recovery G	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)			10 - 150				11/04/15 10:02	11/09/15 18:37	1
Tetrachioro-m-xylene	81		10 _ 150				11/04/15 10:02	11/09/15 18:37	1

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

Client Sample ID: M&A-116-102815

Date Collected: 10/28/15 13:45 Date Received: 10/31/15 10:45 Lab Sample ID: 490-90875-8

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		0.521		ug/L		11/04/15 10:02	11/09/15 18:53	1
PCB-1221	ND		0.521		ug/L		11/04/15 10:02	11/09/15 18:53	1
PCB-1232	ND		0.521		ug/L		11/04/15 10:02	11/09/15 18:53	1
PCB-1242	ND		0.521		ug/L		11/04/15 10:02	11/09/15 18:53	1
PCB-1248	ND		0.521		ug/L		11/04/15 10:02	11/09/15 18:53	1
PCB-1254	ND		0.521		ug/L		11/04/15 10:02	11/09/15 18:53	1
PCB-1260	ND		0.521		ug/L		11/04/15 10:02	11/09/15 18:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	118		10 - 150				11/04/15 10:02	11/09/15 18:53	1
Tetrachloro-m-xylene	98		10 - 150				11/04/15 10:02	11/09/15 18:53	1

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

Client Sample ID: M&A-121-102815

Date Collected: 10/28/15 14:10 Date Received: 10/31/15 10:45 Lab Sample ID: 490-90875-9

Analyte	Result Qua	alifier RL	MDL Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND .	0.521	ug/L		11/04/15 10:02	11/09/15 19:09	1
PCB-1221	ND	0.521	ug/L		11/04/15 10:02	11/09/15 19:09	1
PCB-1232	ND	0.521	ug/L		11/04/15 10:02	11/09/15 19:09	1
PCB-1242	ND	0.521	ug/L		11/04/15 10:02	11/09/15 19:09	1
PCB-1248	· ND	0.521	ug/L		11/04/15 10:02	11/09/15 19:09	1
PCB-1254	ND	0.521	ug/L		11/04/15 10:02	11/09/15 19:09	1
PCB-1260	ND .	0.521	ug/L		11/04/15 10:02	11/09/15 19:09	1
Surrogate	%Recovery Qua	alifier Limits			Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	87	10 - 150			11/04/15 10:02	11/09/15 19:09	1
Tetrachloro-m-xylene	83	10 - 150			11/04/15 10:02	11/09/15 19:09	1

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

Client Sample ID: M&A-122-102815

Date Collected: 10/28/15 17:40 Date Received: 10/31/15 10:45 Lab Sample ID: 490-90875-10

Analyte	Result Qualifier	r RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND —	0.521		ug/L		11/04/15 10:02	11/09/15 19:24	1
PCB-1221	ND	0.521		ug/L		11/04/15 10:02	11/09/15 19:24	1
PCB-1232	ND	0.521		ug/L		11/04/15 10:02	11/09/15 19:24	1
PCB-1242	ND	0.521		ug/L		11/04/15 10:02	11/09/15 19:24	1
PCB-1248	ND	0.521		ug/L		11/04/15 10:02	11/09/15 19:24	1
PCB-1254	ND	0.521		ug/L		11/04/15 10:02	11/09/15 19:24	1
PCB-1260	ND	0.521		ug/L		11/04/15 10:02	11/09/15 19:24	1
Surrogate	%Recovery Qualifie	r Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	113	10 _ 150				11/04/15 10:02	11/09/15 19:24	
Tetrachloro-m-xylene	92	10 - 150				11/04/15 10:02	11/09/15 19:24	1

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

Client Sample ID: M&A-124-102815

Date Collected: 10/28/15 15:50 Date Received: 10/31/15 10:45 Lab Sample ID: 490-90875-11

Analyte	nated Biphenyls Result C		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		0.521		ug/L		11/04/15 10:02	11/09/15 19:40	1
PCB-1221	ND		0.521		ug/L		11/04/15 10:02	11/09/15 19:40	1
PCB-1232	ND	•	0.521		ug/L		11/04/15 10:02	11/09/15 19:40	1
PCB-1242	ND		0.521		ug/L		11/04/15 10:02	11/09/15 19:40	1
PCB-1248	. ND		0.521		ug/L		11/04/15 10:02	11/09/15 19:40	1
PCB-1254	ND		0.521		ug/L		11/04/15 10:02	11/09/15 19:40	1
PCB-1260	ND		0.521		ug/L		11/04/15 10:02	11/09/15 19:40	1
Surrogate	%Recovery C	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	119		10 - 150				11/04/15 10:02	11/09/15 19:40	1
Tetrachioro-m-xylene	99		10 - 150				11/04/15 10:02	11/09/15 19:40	1

Client Sample Results

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

Client Sample ID: M&A-126-102915

Date Collected: 10/29/15 09:15 Date Received: 10/31/15 10:45 Lab Sample ID: 490-90875-12

Matrix: Ground Water

Analyte	Result Qu	ualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND ND		0.521		ug/L		11/04/15 10:02	11/09/15 19:56	1
PCB-1221	ND		0.521		ug/L		11/04/15 10:02	11/09/15 19:56	1
PCB-1232	ND		0.521		ug/L		11/04/15 10:02	11/09/15 19:56	1
PCB-1242	ND		0.521		ug/L		11/04/15 10:02	11/09/15 19:56	1
PCB-1248	ND		0.521		ug/L		11/04/15 10:02	11/09/15 19:56	1
PCB-1254	ND		0.521		ug/L		11/04/15 10:02	11/09/15 19:56	1
PCB-1260	ND		0.521		ug/L		11/04/15 10:02	11/09/15 19:56	1
Surrogate	%Recovery Q	ualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	105		10 - 150				11/04/15 10:02	11/09/15 19:56	1
Tetrachloro-m-xylene	80		10 150				11/04/15 10:02	11/09/15 19:56	1

Client Sample Results

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

Client Sample ID: M&A-301-102915

Date Collected: 10/29/15 08:25 Date Received: 10/31/15 10:45 Lab Sample ID: 490-90875-13

Matrix: Ground Water

Method: 8082A - Polychlorii Analyte	Result Qualifier	, .	MDL		D	Prepared	Analyzed	Dil Fac
PCB-1016	ND —	0.543		ug/L		11/04/15 10:02	11/09/15 20:11	1
PCB-1221	ND	0.543		ug/L		11/04/15 10:02	11/09/15 20:11	1
PCB-1232	ND	0.543	•	ug/L		11/04/15 10:02	11/09/15 20:11	1
PCB-1242	ND	0.543		ug/L		11/04/15 10:02	11/09/15 20:11	1
PCB-1248	ND	0.543		ug/L		11/04/15 10:02	11/09/15 20:11	1
PCB-1254	ND	0.543		ug/L		11/04/15 10:02	11/09/15 20:11	1
PCB-1260	ND	0.543		ug/L		11/04/15 10:02	11/09/15 20:11	1
Surrogate	%Recovery Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	92	10 150				11/04/15 10:02	11/09/15 20:11	1
Tetrachloro-m-xylene	74	10 - 150				11/04/15 10:02	11/09/15 20:11	1

Client Sample Results

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

Client Sample ID: DUP-02-102915

Date Collected: 10/29/15 08:00 Date Received: 10/31/15 10:45 Lab Sample ID: 490-90875-14

Matrix: Ground Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		0.521	~	ug/L		11/04/15 10:02	11/09/15 20:27	1
PCB-1221	ND		0.521		ug/L		11/04/15 10:02	11/09/15 20:27	1
PCB-1232	ND		0.521		ug/L		11/04/15 10:02	11/09/15 20:27	1
PCB-1242	ND		0.521		ug/L		11/04/15 10:02	11/09/15 20:27	1
PCB-1248	ND		0.521		ug/L		11/04/15 10:02	11/09/15 20:27	1
PCB-1254	ND		0.521		ug/L		11/04/15 10:02	11/09/15 20:27	1
PCB-1260	ND		0.521		ug/L		11/04/15 10:02	11/09/15 20:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	95		10 - 150				11/04/15 10:02	11/09/15 20:27	
Tetrachloro-m-xylene	81		10 - 150				11/04/15 10:02	11/09/15 20:27	1

QC Sample Results

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Lab Sample ID: MB 490-295482/1-A

Matriv: Water

Client Sample ID: Method Blank

Prep Type: Total/NA

Matrix: vvater Analysis Batch: 296843						Prep Batch:	
, <u> </u>	MB	MB					
Analyte	Result	Qualifier	RL	MDL Unit	D Prepared	Analyzed	Dil Fac
PCB-1016	ND		0.500	ug/L	11/04/15 10:02	11/09/15 16:32	1
PCB-1221	ND		0.500	ug/L	11/04/15 10:02	11/09/15 16:32	1
PCB-1232	ND		0.500	ug/L	11/04/15 10:02	11/09/15 16:32	1
PCB-1242	ND		0.500	ug/L	11/04/15 10:02	11/09/15 16:32	1
PCB-1248	ND		0.500	ug/L	11/04/15 10:02	11/09/15 16:32	1
PCB-1254	ND		0.500	ug/L	11/04/15 10:02	11/09/15 16:32	1
PCB-1260	ND		0.500	ug/L	11/04/15 10:02	11/09/15 16:32	1
	MB	MB					
Surrogate	%Recovery	Qualifier	Limits		Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	55		10 - 150		11/04/15 10:02	11/09/15 16:32	1
Tetrachloro-m-xylene	66		10 - 150		11/04/15 10:02	11/09/15 16:32	1

Lab Sample ID: LCS 490-295482/2-A

Matrix: Water

Analysis Batch: 296843

Client Sample ID: Lab Control Sample Prep Type: Total/NA

Prep Batch: 295482

%Rec.

LCS LCS Spike Limits Added Result Qualifier D %Rec Analyte Unit 23 - 139 4.00 3.972 ug/L 99 PCB-1016 74 36 - 144 4.00 2.964 ug/L PCB-1260

LCS LCS

	Surrogate	%Recovery	Qualifier	Limits
ĺ	DCB Decachlorobiphenyl (Surr)	85		10 - 150
	Tetrachloro-m-xylene	88		10 - 150

QC Association Summary

Client: Mabbett & Associates, Inc. Project/Site: Bodycote Heat Treat Building TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

GC Semi VOA

Prep Batch: 295482

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-90875-1	MCA-5-102815	Total/NA	Ground Water	3510C	
490-90875-2	M&A-104-102815	Total/NA	Ground Water	3510C	
490-90875-3	M&A-110-102815	Total/NA	Ground Water	3510C	
490-90875-4	M&A-111-102815	Total/NA	Ground Water	3510C	•
490-90875-5	M&A-112-102815	Total/NA	Ground Water	3510C	
490-90875-6	M&A-113-102815	Total/NA	Ground Water	3510C	
490-90875-7	M&A-114-102815	Total/NA	Ground Water	3510C	
490-90875-8	M&A-116-102815	Total/NA	Ground Water	3510C	
490-90875-9	M&A-121-102815	Total/NA	Ground Water	3510C	
490-90875-10	M&A-122-102815	Total/NA	Ground Water	3510C	
490-90875-11	M&A-124-102815	Total/NA	Ground Water	3510C	
490-90875-12	M&A-126-102915	Total/NA	Ground Water	3510C	
490-90875-13	M&A-301-102915	Total/NA	Ground Water	3510C	
490-90875-14	DUP-02-102915	Total/NA	Ground Water	3510C	
LCS 490-295482/2-A	Lab Control Sample	Total/NA	Water	3510C	
MB 490-295482/1-A	Method Blank	Total/NA	Water	3510C	

Analysis Batch: 296843

			,		
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-90875-1	MCA-5-102815	Total/NA	Ground Water	8082A	295482
490-90875-2	M&A-104-102815	Total/NA	Ground Water	8082A	295482
490-90875-3	M&A-110-102815	Total/NA	Ground Water	8082A	295482
490-90875-4	M&A-111-102815	Total/NA	Ground Water	8082A	295482
490-90875-5	M&A-112-102815	Total/NA	Ground Water	8082A	295482
490-90875-6	M&A-113-102815	Total/NA	Ground Water	8082A	295482
490-90875-7	M&A-114-102815	Total/NA	Ground Water	8082A	295482
490-90875-8	M&A-116-102815	Total/NA	Ground Water	8082A	295482
490-90875-9	M&A-121-102815	Total/NA	Ground Water	8082A	295482
490-90875-10	M&A-122-102815	Total/NA	Ground Water	8082A	295482
490-90875-11	M&A-124-102815	Total/NA	Ground Water	8082A	295482
490-90875-12	M&A-126-102915	Total/NA	Ground Water	8082A	295482
490-90875-13	M&A-301-102915	Total/NA	Ground Water	8082A	295482
490-90875-14	DUP-02-102915	Total/NA	Ground Water	8082A	295482
LCS 490-295482/2-A	Lab Control Sample	Total/NA	Water	8082A	295482
MB 490-295482/1-A	Method Blank	Total/NA	Water	8082A	295482
i e e e e e e e e e e e e e e e e e e e					

Lab Chronicle

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

Client Sample ID: MCA-5-102815

Date Collected: 10/28/15 14:15 Date Received: 10/31/15 10:45

Lab Sample ID: 490-90875-1

Matrix: Ground Water

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			240 mL	1 mL	295482	11/04/15 10:02	LDC	TAL NSH
Total/NA	Analysis	8082A		1	240 mL	1 mL	296843	11/09/15 17:04	MGH	TAL NSH

Client Sample ID: M&A-104-102815

Date Collected: 10/28/15 15:35

Date Received: 10/31/15 10:45

Lab Sample ID: 490-90875-2

Matrix: Ground Water

		Batch	Batch		Dil	Initial	Final	Batch	Prepared		•
	Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
	Total/NA	Prep	3510C			250 mL	1 mL	295482	11/04/15 10:02	LDC	TAL NSH
İ	Total/NA	Analysis	8082A		1	250 mL	1 mL	296843	11/09/15 17:19	MGH	TAL NSH

Client Sample ID: M&A-110-102815

Date Collected: 10/28/15 16:15

Date Received: 10/31/15 10:45

Lab	Sample	ID:	490-90	875-3
	Ma	trix:	Ground	Water

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	3510C	444		240 mL	1 mL	295482	11/04/15 10:02	LDC	TAL NSH
Total/NA	Analysis	8082A		1	240 mL	1 mL	296843	11/09/15 17:35	MGH	TAL NSH

Date Received: 10/31/15 10:45

Client Sample ID: M&A-111-102815	Lab Sample ID: 490-90875-4
Date Collected: 10/28/15 16:50	Matrix: Ground Water

ĺ	•	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
	Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
i	Total/NA	Prep	3510C			240 mL	1 mL	295482	11/04/15 10:02	LDC	TAL NSH
	Total/NA	Analysis	8082A		1	240 mL	1 mL	296843	11/09/15 17:50	MGH	TAL NSH

Client Sample ID: M&A-112-102815

Date Collected: 10/28/15 16:45

Date Received: 10/31/15 10:45

Matrix: Ground Water

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			240 mL	1 mL	295482	11/04/15 10:02	LDC	TAL NSH
Total/NA	Analysis	8082A		1	240 mL	1 mL	296843	11/09/15 18:06	MGH	TAL NSH

Client Sample ID: M&A-113-102815

Date Collected: 10/28/15 16:00

Date Received: 10/31/15 10:45

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C	. —		210 mL	1 mL	295482	11/04/15 10:02	LDC	TAL NSH
Total/NA	Analysis	8082A		10	210 mL	1 mL	296843	11/09/15 23:19	MGH	TAL NSH

Lab Chronicle

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

Client Sample ID: M&A-114-102815

Date Collected: 10/28/15 14:35 Date Received: 10/31/15 10:45 Lab Sample ID: 490-90875-7

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			210 mL	1 mL	295482	11/04/15 10:02	LDC	TAL NSH
Total/NA	Analysis	8082A		1	210 mL	1 mL	296843	11/09/15 18:37	MGH	TAL NSH

Client Sample ID: M&A-116-102815

Date Collected: 10/28/15 13:45

Date Received: 10/31/15 10:45

Lab Sample ID: 490-90875-8

Matrix: Ground Water

r										
	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Ргер	3510C			240 mL	1 mL	295482	11/04/15 10:02	LDC	TAL NSH
Total/NA	Analysis	8082A		1	240 mL	1 mL	296843	11/09/15 18:53	MGH	TAL NSH

Client Sample ID: M&A-121-102815

Date Collected: 10/28/15 14:10

Date Received: 10/31/15 10:45

Lab Sample ID: 490-90875-9

Matrix: Ground Water

 **·	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			240 mL	1 mL	295482	11/04/15 10:02	LDC	TAL NSH
Total/NA	Analysis	8082A		1	240 mL	1 mL	296843	11/09/15 19:09	MGH	TAL NSH

Client Samnle ID: M.R.A_122_10204E

Client Sample ID: M&A-122-102815	Lad Sample ID: 490-90875-10
Date Collected: 10/28/15 17:40	Matrix: Ground Water
Date Received: 10/31/15 10:45	

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			240 mL	1 mL	295482	11/04/15 10:02	LDC	TAL NSH
Total/NA	Analysis	8082A		1	240 mL	1 mL	296843	11/09/15 19:24	MGH	TAL NSH

Client Sample ID: M&A-124-102815

Date Collected: 10/28/15 15:50

Date Received: 10/31/15 10:45

.ab Sample ID: 490-90875-1	1	9	
----------------------------	---	---	--

Matrix: Ground Water

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			240 mL	1 mL	295482	11/04/15 10:02	LDC	TAL NSH
Total/NA	Analysis	8082A		1	240 mL	1 mL	296843	11/09/15 19:40	MGH	TAL NSH

Client Sample ID: M&A-126-102915

Date Collected: 10/29/15 09:15

Date Received: 10/31/15 10:45

Lab Sample ID: 490-90875-1	1	
-		

Matrix: Ground Water

		Batch	Batch		Dil	Initial	Final	Batch	Prepared		
	Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
-	Total/NA	Prep	3510C			240 mL	1 mL	295482	11/04/15 10:02	LDC	TAL NSH
	Total/NA	Analysis	8082A		1	240 mL	1 mL	296843	11/09/15 19:56	MGH	TAL NSH

Lab Chronicle

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

Lab Sample ID: 490-90875-13

Lab Sample ID: 490-90875-14

SDG: 1998002.333

Client Sample ID: M&A-301-102915

Date Collected: 10/29/15 08:25

Date Received: 10/31/15 10:45

Matrix: Ground Water

•	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	3510C		-	230 mL	1 mL	295482	11/04/15 10:02	LDC	TAL NSH
Total/NA	Analysis	8082A		1	230 mL	1 mL	296843	11/09/15 20:11	MGH	TAL NSH

Client Sample ID: DUP-02-102915

Date Collected: 10/29/15 08:00

Matrix: Ground Water Date Received: 10/31/15 10:45

		Batch	Batch	_	Dil	Initial	Final	Batch	Prepared		
	Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
	Total/NA	Prep	3510C			240 mL	1 mL	295482	11/04/15 10:02	LDC	TAL NSH
İ	Total/NA	Analysis	8082A		1	240 mL	1 mL	296843	11/09/15 20:27	MGH	TAL NSH

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Method Summary

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

Method	Method Description	Protocol	Laboratory
8082A	Polychlorinated Biphenyls (PCBs) by Gas Chromatography	SW846	TAL NSH

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Certification Summary

Client: Mabbett & Associates, Inc.

Project/Site: Bodycote Heat Treat Building

TestAmerica Job ID: 490-90875-1

SDG: 1998002.333

Laboratory: TestAmerica Nashville

The certifications listed below are applicable to this report.

	Authority	Program	EPA Region	Certification ID	Expiration Date
İ	Illinois	NELAP	5	200010	12-09-15 *

^{*} Certification renewal pending - certification considered valid.



Nashville, TN



COOLER	RECEIPT	FORM

Cooler Received/Opened On 10/30/2015 @ 0045 - NWA 10/31/15	1"
1. Tracking #3033 (last 4 digits, FedEx)	4
Courier: FedEx IR Gun ID 18290455	
2. Temperature of rep. sample or temp blank when opened: 2. Degrees Celsius	
3. If Item #2 temperature is 0°C or less, was the representative sample or temp blank frozen?	YES NO.:
4. Were custody seals on outside of cooler?	YES NO NA
If yes, how many and where: (1) From t	· ·
5. Were the seals intact, signed, and dated correctly?	YES NONA
6. Were custody papers inside cooler?	WES NO NA
I certify that I opened the cooler and answered questions 1-6 (intial)	Mon
7. Were custody seals on containers: YES and Intact	YESNO (NA)
Were these signed and dated correctly?	YESNO(NA)
8. Packing mat'l used? Rubblewrap Plastic bag Peanuts Vermiculite Foam Insert Paper	Other None
9. Cooling process: [ce lce-pack lce (direct contact) Dry ice	Other None
10. Did all containers arrive in good condition (unbroken)?	ESNONA
11. Were all container labels complete (#, date, signed, pres., etc)?	YESNONA
12. Did all container labels and tags agree with custody papers?	YES NONA
13a. Were VQA vials received?	YES. NO NA
b. Was there any observable headspace present in any VOA vial?	YESNO. NA
14. Was there a Trip Blank in this cooler? YESNO. NA If multiple coolers, sequence	e #
14. Was there a Trip Blank in this cooler? YESNO. NA If multiple coolers, sequence L certify that I unloaded the cooler and answered questions 7-14 (intial)	.e#
	enh \$0 frug
I certify that I unloaded the cooler and answered questions 7-14 (intial)	enh \$0 frug
I certify that I unloaded the cooler and answered questions 7-14 (initial) 15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level?	YESNO.NA
I certify that I unloaded the cooler and answered questions 7-14 (initial) 15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? b. Did the bottle labels indicate that the correct preservatives were used	YESNO.(NA)
I certify that I unloaded the cooler and answered questions 7-14 (initial) 15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? b. Did the bottle labels indicate that the correct preservatives were used 16. Was residual chlorine present?	YESNO. NA YESNO. NA
I certify that I unloaded the cooler and answered questions 7-14 (intial) 15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? b. Did the bottle labels indicate that the correct preservatives were used 16. Was residual chlorine present? I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (intial)	YESNO. NA YESNO. NA YESNO. NA
I certify that I unloaded the cooler and answered questions 7-14 (intial) 15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? b. Did the bottle labels indicate that the correct preservatives were used 16. Was residual chlorine present? I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (intial) 17. Were custody papers properly filled out (ink, signed, etc)?	YESNONA YESNONA YESNONA
I certify that I unloaded the cooler and answered questions 7-14 (intial) 15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? b. Did the bottle labels indicate that the correct preservatives were used 16. Was residual chlorine present? I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (intial) 17. Were custody papers properly filled out (ink, signed, etc)? 18. Did you sign the custody papers in the appropriate place?	YESNONA YESNONA WESNONA
I certify that I unloaded the cooler and answered questions 7-14 (intial) 15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? b. Did the bottle labels indicate that the correct preservatives were used 16. Was residual chlorine present? I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (intial) 17. Were custody papers properly filled out (ink, signed, etc)? 18. Did you sign the custody papers in the appropriate place? 19. Were correct containers used for the analysis requested?	YESNONA YESNONA WESNONA WESNONA
I certify that I unloaded the cooler and answered questions 7-14 (intial) 15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? b. Did the bottle labels indicate that the correct preservatives were used 16. Was residual chlorine present? I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (intial) 17. Were custody papers properly filled out (ink, signed, etc)? 18. Did you sign the custody papers in the appropriate place? 19. Were correct containers used for the analysis requested? 20. Was sufficient amount of sample sent in each container?	YESNONA YESNONA WESNONA WESNONA WESNONA

TestAmerica Nashville

manage 1920 - South Camero Caller and Ellino South

Chain of Custody Record



	Regulatory Program:	DW NPDE	5 RCRA	Other:				TestAmerica Laboratori	es, Inc.
Client Contact	Project Manager: C- Aubb	++	Site Contact:	M. HOTTON		10/24/		COC No:	
Mabbett Associates	Tel/Fax: 78 275 6050	7-25	Lab Contact:	K. Helsey	Carrie	r: Feel B	Z A-	ofCOCs	
5-Alfred Circle Bedlend M4	Analysis Turnaround							Sampler:	
(SEMEONEM JA) ==		ORKING DAYS	î					For Lab Use Only: Walk-in Client:	
	TAT if different from Below 2 weeks		ş E					Lab Sampling: Loc: 49	0
Project Name: BODYCOTE Heat Treat Building	1 week		7 2					9087	75
Site:	2 days		MSI					Job / SDG No.:	, •
PO# 5181	1 day		Sample (Y NS/MSD 3.5				1 1 1		
	Sample Type		Filtered Sa Perform ME PCB						
Sample Identification	Sample Sample (C=Comp. Date Time G=Grab)	# of Matrix Cont.	erf Ite					Cample Consider Nation	
MC4-5-108815	10/88/5 1415 &		NN x					Sample Specific Notes	3:
M = 4-104-102815	198915 1535 6		NNA						
M&A-110-10285	10/28/15 1615 G		71/2						3
ME4-111-102815	10/2/15 1650 G		72 ×			+			of 30
M&A-112-10285	10/28/10 1645 G	6W 2	ハルメ		++		+		ا م [
M\$4-118-10285	10/28/15 1600 G-	GW 2	NX			+		THE OTL CONTAMIN	8° 80 14765 0
MEX-114-102815	10/28/15 1435 G	-	222				+++	100	ad
MEA-116-10285	10/22/15 1345 G		N N X				1-1-1		<i>+</i>
MEX-121-108815	10/22/15 1410 G	1 - 1	74 64				1		* · · · · · · · · · · · · · · · · · · ·
M\$4-122-102815	10/28/15 1740 G					-			ا ا
MEA 124-102815	 		ングメ						
MEA-126-102915	10/a9/15 1550 G	6W 2	N N X						11
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=h	1011 0 011) G	1000	17/7/						12
Possible Hazard Identification:	NaOH; 6= Other		Samula D						
Are any samples from a listed EPA Hazardous Waste? Please Li Comments Section if the lab is to dispose of the sample.	st any EPA Waste Codes for the	sample in the	Sample Di	sposai (A fee may i	oe assess	sea n sam	oles are re	tained longer than 1 month)	
Non-Hazard Flammable Skin Initant	Poison B Unk	anum	┥ ┌	n to Client	1		п		
Special Instructions/QC Requirements & Comments:	103010	IOWII	Retur	1 to Client	Disposal by	(lab	Archiv	ve for Months	
								. 2	, e
Custody Seals Intact: Yes No	Custody Seal No.:			Cooler Temp. (°C): C	Obs'd:	Cor	r'd:	Therm ID No.:	
Relinguished by: M. Hortein Affact	Company: Mabbett	Date/Time:	Received to	y. LEX		Company		Data/Time:	_
Relinquished by:	Company:	Date/Time:	Received			Company		Date/Time:	
Relinquished by:	Company:	Date/Time:		1 Laboratory by:		Company		10-30-)5 0 89- 104 Date/Time:	-

ō

Page 2

TestAmerica Nashville

Chain of Custody Record



Regulatory Program: DW NPDES RCRA Other: TestAmerica Laboratories, Inc. Project Manager: C. Malbe H Site Contact: M. Horton Date: 10 129/15 COC No: Client Contact 6 Alfred Circle Bedford MA 61730 Lab Contact: K. Haues Tel/Fax: of 2 COCs Carrier: Analysis Turnaround Time Sampler: CALENDAR DAYS WORKING DAYS For Lab Use Only: -----Mabbett & Associates Walk-in Client: TAT if different from Below Loc: 490 Lab Sampling: 2 weeks 90875 Project Name: Beclycote Heat Treat Building 1 week Job / SDG No.: 2 days PO# 5181 1 day Sample Type Sample Sample # of (C≕Comp, G=Grab) Sample Identification Date Time Matrix Cont. Sample Specific Notes: 10/24/15 0825 2 GW MEA-301-102915 DUP-02-102915 64 Preservation Used: 1= Ice, 2= HCI; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other Possible Hazard Identification: Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample. Flammable Poison B Unknown Return to Client Archive for Disposal by Lab Special Instructions/QC Requirements & Comments: Custody Seals Intact: Custody Seal No.: Cooler Temp. (°C); Obs'd; Carr'd: Therm ID No.: Relinquished by: Date/Time: 10|94| 50 | Received by: Company: Date/Time: M. Horder Relinquished by: Date/Time: Date/Time: Company: Company: 10.30.15@1045 700 Relinguished by: Company: Date/Time: Received in Laboratory by: Company: Date/Time:

Login Sample Receipt Checklist

Client: Mabbett & Associates, Inc.

Job Number: 490-90875-1

SDG Number: 1998002.333

Login Number: 90875

List Number: 1

Creator: McBride, Mike

List Source: TestAmerica Nashville

Question	Answer	Comment
Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>True</td> <td></td>	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.0
COC is present.	True	
COC is filled out in ink and legible.	True.	
COC is filled out with all pertinent information.	True	·
ls the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	True	